								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group		development year	special TMDL development
TIOC Name	Water Segment	IVIAFID	WBID	Farameters of Concern	Comments	FIIOTILY	О ГОИР	Development	yeai	development
	SOUTH PRONG ALAFIA									
ALAFIA RIVER	RIVER	1	1653	Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	OWENS BRANCH	5	1675	Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	BELL CREEK (Alafia River)	8	1660	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 1 & 2	2008		
ALAFIA RIVER	NORTH PRONG ALAFIA RIVER	9	1621E	Dissolved Oxygen, Nutrients, Coliforms	This segment was nominated by the SW District. Alafia River Task Force developed a monitoring plan to evaluate facility BMPs.	Low	Group 1 & 2	2008		
ALAFIA RIVER	ALAFIA RIVER ABOVE HILLSBOROUGH BAY	13	1621G	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	THIRTYMILE CREEK	15	1639	Dissolved Oxygen, Coliforms, Nutrients	Included in Alafia River Task Force monitoring plan. Facility BMPs being implemented.	High	Group 1 & 2	2003		
ALAFIA RIVER	BUCKHORN SPRING	19	1635	Nutrients	SWFWMD Suggested. High NOx levels and algal blooms downstream.	Low	Group 1 & 2	2008		
ALAFIA RIVER	ENGLISH CREEK	23	1592C	Coliforms, Nutrients		Low	Group 1 & 2	2008		
ALAFIA RIVER	TURKEY CREEK ABOVE LITTLE ALAFI	24	1578B	Coliforms, Nutrients, Turbidity		Low	Group 1 & 2	2008		
ALAFIA RIVER	POLEY CREEK	25	1583	Coliforms, Nutrients, Turbidity		Low	Group 1 & 2	2008		
APALACHICOLA BAY	APALACHICOLA BAY	1	1274	Coliforms, Nutrients	Part of Apalachicola/Chattahoochee/Flint River project. No surface dischargers of industrial or domestic wastewater. SWIM Waterbody. Various TMDL, water management & pollution reduction studies ongoing.	High	Group 2	2003		
APALACHICOLA BAY	APALACHICOLA BAY	2	1274B	Coliforms, Nutrients	Part of Apalachicola/Chattahoochee/Flint River project. No surface dischargers of industrial or domestic wastewater. NWFWMD SWIM. Franklin Co. Stormwater Study 1998. NOAA Sediment Study (Panhandle Bays, 1997).	High	Group 2	2003		
APALACHICOLA RIVER	HUCKLEBERRY CREEK	1		Nutrients, Coliforms	This water was nominated for listing by citizens and the district and Tallahassee staff. Apalachicola STP lawsuit. Aquatic weed problems.	High	Group 2	2003		

ge 1 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
	APALACHICOLA RIVER-				Consequence of Cts. 200 has high food soliforms. NDC consequence					
APALACHICOLA RIVER		2	375A	Coliforms	Seasonal data at Sta. 280 has high fecal coliforms. NPS assessment was poor indicating stormwater problems. Citizens requested listing.	High	Group 2	2003		
					Seasonal data at Stas. 20 and 22 indicate high coliforms. Citizens					
APALACHICOLA RIVER	APALACHICOLA RIVER	3	375B	Coliforms	requested listing.	High	Group 2	2003		
	CYPRESS CREEK									
APALACHICOLA RIVER	(Double Bayou)	5	1262		This segment was listed based on biological sampling.	Low	Group 2	2008		
APALACHICOLA RIVER	HORSESHOE CREEK	7	1272	Coliforms, Dissolved Oxygen		Low	Group 2	2008		
					Part of Apalachicola/Chattahoochee/Flint River project. SWIM PLAN. Many small WWTP's. High sediment loadings from Torreya State Park					
APALACHICOLA RIVER	APALACHICOLA RIVER	10	375D	Turbidity	unmaintained roads.	High	Group 2	2003		
APALACHICOLA RIVER	APALACHICOLA RIVER	11	375E	Coliforms	Seasonal data 5-27-97 at Sta. 2 indicates high coliforms.	High	Group 2	2003		
APALACHICOLA RIVER	GREGORY MILL CREEK	13	1135	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2	2008		
APALACHICOLA RIVER	EOLIII OXIC CBEEK	14	1109A	Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory).		Low	Group 2	2008	2011	mercury
AFALACITICOLA RIVER	EQUILOXIC CREEK	14	1109A	Advisory).		LOW	Group 2	2006	2011	Hercury
APALACHICOLA RIVER	LITTLE GULLY CREEK	15	1039	Coliforms, Dissolved Oxygen, Turbidity		Low	Group 2	2008		
APALACHICOLA RIVER	SWEETWATER CREEK	23	728	Coliforms, Dissolved Oxygen		Low	Group 2	2008		
APALACHICOLA RIVER	FLAT CREEK	26	487	Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2	2008		
			393Z							
APALACHICOLA RIVER	GLEN JULIA SPRING	28		Coliforms, Nutrients		Low	Group 2	2008		
APALACHICOLA RIVER	NORTH MOSQUITO CREEK	31	384		Listing of this segment is based on biological sampling.	Low	Group 2	2008		
							·			
BLACKWATER RIVER	BLACKWATER RIVER	3	24b	Coliforms	Listing of this segment is based on the NPS Survey.	Low	Group 4 & 5	2011	1999	Coliforms

e 2 3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
				Total Suspended Solids, Coliforms,						
BLACKWATER RIVER	BLACKWATER RIVER	4	24A	Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	BLACKWATER RIVER	4	Z4A	Advisory)		Low	G10up 4 & 5	2011	1999	Collionns
BLACKWATER RIVER	BUCKET BRANCH	7	356		Listing of this segment is based on the NPS Survey.	Low	Group 4 & 5	2011		
	WEST FORK (Big Coldwater Creek-West									
BLACKWATER RIVER	Fork)	42	11A	Coliforms, Nutrients		Low	Group 4 & 5	2011	1999	Coliforms
	EAST FORK (Big Coldwater Creek-East									
BLACKWATER RIVER	Fork)	53	18A	Coliforms, Total Suspended Solids		Low	Group 4 & 5	2011	1999	Coliforms
				O. I. C. T. L. I. T. T. L. I. C. C. C. L.						
BLACKWATER RIVER	MANNING CREEK	59	127	Coliforms, Turbidity, Total Suspended Solids		Low	Group 4 & 5	2011	1999	Coliforms
				Coliforms, Mercury (Based on Fish						
BLACKWATER RIVER	BLACKWATER RIVER	75	24D	Consumption Advisory)		Low	Group 4 & 5	2011	1999	Coliforms
BLACKWATER RIVER	MARE CREEK	79	88	Dissolved Oxygen, Turbidity		Low	Group 4 & 5	2011		
BLACKWATER RIVER	BIG JUNIPER CREEK	84	19	Coliforms, Turbidity		Low	Group 4 & 5	2011	1999	Coliforms
DE TOTAL TENTAL	DIO GOTTII ETT OTTEETT	04	10	Somethic, Faiblany		LOW	Croup 4 a o	2011	1000	Comonno
	BIG COLDWATER									
BLACKWATER RIVER	CREEK	96	18	Coliforms, Total Suspended Solids		Low	Group 4 & 5	2011	1999	Coliforms
CALOOSAHATCHEE										
RIVER	MANUEL BRANCH	3	32401	Dissolved Oxygen Nutrients		Low	Group 2 & 3	2009		
CALOOSAHATCHEE RIVER	BILLY CREEK	4	3240J	Dissolved Oxygen, Nutrients	Problems due to urban landuse (some industrial), has caused aquatic weed proliferation.	Lliab	Croup 0 9 0	2004		
KIVEK	BILLI CREEK	4	32403	Dissolved Oxygen, Numerics	weed promeration.	High	Group 2 & 3	2004		
CALOOSAHATCHEE										
RIVER	YELLOW FEVER CREEK	11	3240E	Dissolved Oxygen		Low	Group 2 & 3	2009		
				Nutrients, Dissolved Oxygen,						
CALOOSAHATCHEE RIVER	NINEMILE CANAL	19	3237D	Biochemical Oxygen Demand, Coliforms	Low dissolved oxygen due to deep canals that intercept groundwater.	High	Group 2 & 3	2004		
	DAUGHTREY CREEK	10	5_0.2		and the second s	9. '	5.5%p 2 % 0	230 :		
	(East Branch									
CALOOSAHATCHEE	Cocohatchee River &	04	22405	Nutriente Dissolved Overses	Potential problems due to package plants and septic tanks. Extensive	l liel-	Orous O 9 O	2004		
RIVER	Popash Creek)	21	3240F	Nutrients, Dissolved Oxygen	development planned.	High	Group 2 & 3	2004		

ge 3 3/28/00

								Projected Year of	*Special TMDL	Parameter for
LILIONE	Wester Organisa	2 144 DID	1 14/010	D	0	D. C. C.	Basin Rotation	TMDL	development	special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
CALOOSAHATCHEE				Dissolved Oxygen, Coliforms,						
RIVER	TROUT CREEK	24	3240G	Biochemical Oxygen Demand		Low	Group 2 & 3	2009		
CALCOCALIATOLIEE										
CALOOSAHATCHEE RIVER	LAKE HICPOCHEE	26	3237C	Nutrients	Agricultural drainage from several areas including Lake Okeechobee.	High	Group 2 & 3	2004		
							·			
CALOOSAHATCHEE RIVER	EAST CALOOSAHATCHEE	20	3237A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		Law	Craup 2 8 2	2009		
RIVER	CALOUSAHATCHEE	28	3237A	Biochemical Oxygen Demand		Low	Group 2 & 3	2009		
					Matlacha STP will be moved in 1998 to Pine Island. Poor WQ could be					
CHARLOTTE HARBOR	MATLACHA PASS	4	2065F	Nutrients, Mercury (Based on Fish Consumption Advisory)	caused by poor flushing. Although Matlacha Pass is the only listed segment a TMDL will be determined for all of Charlotte Harbor.	High	Group 2 & 3	2004	2011	mercury
				, , ,		g	0.00p 2 0.0	2001	2011	
	NORTH PRONG									
CHARLOTTE HARBOR	ALLIGATOR CREEK	30	2071	Dissolved Oxygen, Coliforms, Turbidity		Low	Group 2 & 3	2009		
CHATTAHOOCHEE										
RIVER	THOMPSON POND	1	272	Coliforms, Nutrients		High	Group 2	2003		
CHATTAHOOCHEE RIVER	LAKE SEMINOLE	3	60	Dissolved Oxygen, Nutrients	Apalachicola SWIM Plan. Aquatic weeds, Hydrilla problems.	High	Group 2	2003		
					In Apalachicola SWIM Plan. Wastewater discharges at Marianna, Blue					
CHIPOLA RIVER	CHIPOLA RIVER (Dead Lakes)	1	51A	Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory)	Springs - septic tanks, silviculture above Marianna, sedimentation. Agricultural and urban land causing nutrient enrichment.	High	Group 2	2003	2011	mercury
	,					J			-	•
					Apalachicola SWIM Plan. Wastewater Discharges at Marianna, Blue					
CHIPOLA RIVER	CHIPOLA RIVER	2	51B	Nutrients	Springs - Septic tanks and sedimentation. Agricultural and urban land misuse causing nutrient enrichment. Nitrate and TN problems.	High	Group 2	2003		
CHIPOLA RIVER	OTTER CREEK	10	819	Coliform, Nutrients		Low	Croup 2	2008		
CHIPOLA RIVER	OTTER CREEK	10	019	Comorn, Numerus		Low	Group 2	2006		
					Wastewater Facility at Florida Caverns State Park no longer discharges,					
CHIPOLA RIVER	MUDDY BRANCH	27	175	Dissolved Oxygen, Coliforms, Nutrients	but still have stormwater imputs.	High	Group 2	2003		
CHOCTAWHATCHEE	INDIAN BAYOU (Old				This water segment includes Indian Bayou and was nominated for listing					
BAY	Pass Lagoon)	14	917	Dissolved Oxygen, Nutrients	by district staff. Heavy development/marina/highway 98 runoff.	Low	Group 3	2009		
					Dissolved Oxygen low due to upstream inputs and restricted flushing.					
CHOCTAWHATCHEE	CHOCTAWHATCHEE				SWIM Waterbody. Many ongoing studies. Old Pass Lagoon, Cinco, Garnier, and Boggy bayous impacted by development. This segment					
BAY	BAY	17	778D	Dissolved Oxygen, Nutrients	includes Destin Harbor.	High	Group 3	2004		

e 4 3/28/00

							Danim Datation	Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
1100 Name	Water Segment	IVIALID	VVDID	i arameters of concern	Confinents	1 Hority	Gloup	Development	yeai	development
CHOCTAWHATCHEE	1050 543/011		000							
BAY	JOES BAYOU	18	906	Nutrients		Low	Group 3	2009		
				Coliforms, Nutrients, Turbidity, Total						
CHOCTAWHATCHEE	CHOCTAWHATCHEE			Suspended Solids, Mercury (Based on	Heavy growth in watershed. Shellfish areas impacted by bacteria and					
BAY	BAY	24	778C	Fish Consumption Advisory)	viral pathogen problems.	Low	Group 3	2009		
CHOCTAWHATCHEE	CHOCTAWHATCHEE									
BAY	BAY	26	778B	Coliforms	SWIM waterbody	High	Group 3	2004		
OLIO OTA MULA TOUEF										
CHOCTAWHATCHEE BAY	BOGGY BAYOU	40	692	Dissolved Oxygen		Laur	Croup 2	2000		
DAT	BOGGT BATOU	42	092	Dissolved Oxygen		Low	Group 3	2009		
CHOCTAWHATCHEE										
BAY	LAFAYETTE CREEK	50	646	Coliforms		Low	Group 3	2009		
					This segment was listed because it is a SWIM waterbody. It was not					
CHOCTAWHATCHEE	CHOCTAWHATCHEE			Coliforms, Turbidity, Total Suspended	evaluated in the 1996 305(b) report. However, based on the 1994					
RIVER	RIVER	0	49E	Solids	305(b) report the water quality at that time was good.	High	Group 3	2004	1999	Coliforms
					. ,		·			
CHOCTAWHATCHEE										
RIVER	BRUCE CREEK	11	343	Coliforms, Turbidity		Low	Group 3	2009	1999	Coliforms
IXIV LIX	DROOF ORLER	- 11	040			LOW	Group 3	2009	1999	Odillomis
				Coliforms, Turbidity, Total Suspended						
CHOCTAWHATCHEE	CHOCTAWHATCHEE			Solids, Mercury (Based on Fish	Coliforms from hog farms/ag. SWIM PLAN. Evaluation of Holmes					
RIVER	RIVER	14	49	Consumption Advisory)	Creek pollution by point sources.	High	Group 3	2004	1999	Coliforms
CHOCTAWHATCHEE										
RIVER	CAMP BRANCH	21	251	Coliforms, Nutrients, Turbidity		Low	Group 3	2009	1999	Coliforms
				Coliforms, Nutrients, Total Suspended						
CHOCTAWHATCHEE	CHOCTAWHATCHEE			Solids, Turbidity, Mercury (Based on						
RIVER	RIVER	24	49F	Fish Consumption Advisory)	Possible cause is runoff from Alabama agriculture upstream (no BMPs).	Low	Group 3	2009	1999	Coliforms
				· · · · · · · · · · · · · · · · · · ·	,					
CHOCTANALIATORIE				Coliforms, Biochemical Oxygen						
CHOCTAWHATCHEE RIVER	ALLIGATOR CREEK	200	122	Demand, Dissolved Oxygen, Nutrients,		Laur	Croup 2	2000		
NIVER	ALLIGATOR CREEK	26	123	Turbidity		Low	Group 3	2009		
CHOCTAWHATCHEE				Coliforms, Dissolved Oxygen, Total						
RIVER	SIKES CREEK	27	142	Suspended Solids, Turbidity		Low	Group 3	2009	1999	Coliforms
CHOCTAWHATCHEE	FISH BRANCH (Minnow			Coliforms, Dissolved Oxygen, Total						
RIVER	Creek)	28	130	Suspended Solids, Turbidity		Low	Group 3	2009		
CRYSTAL RIVER TO ST.										
PETE	CLAM BAYOU DRAIN	2	1716	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011		
· - · -	02 W 27 W 00 D W W		., .0	cccitod chygon, redinonio, comonio			Croup o	2011		

e 5 3/28/00

							Dania Datatian	Projected Year of		Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
CRYSTAL RIVER TO ST. PETE	ST JOE CREEK	6	1668A	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	BONN CREEK (&Joe Creek & Cross Bayou Canal)	8	1668B (& 1668A)	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	PINELLAS PARK DITCH	9	1662	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	SOUTH CROSS CANAL (Cross Bayou Canal South)	11	1641		Listing of this water segment is based on the NPS survey.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	LAKE SEMINOLE	12	1618	Coliforms, Nutrients	Primarily stormwater.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	MCKAY CREEK	14	1633	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	DIRECT RUNOFF TO GULF (Clearwater Harbor)	16	1528	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	STEVENSON CREEK	17	1567	Dissolved Oxygen, Coliforms, Nutrients	Receiving water for Clearwater Marshall St. WWTP. Also highly urbanized.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	CEDAR CREEK	20	1556	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	CURLEW CREEK	22	1538	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	DIRECT RUNOFF TO GULF (Minnow Creek)	23	1535	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	SUTHERLAND BAYOU	24	1527 (1512)	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	HEALTH SPRING	25	1512	Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	KLOSTERMAN BAYOU RUN (Innisbrook Canal)	26	1508	Dissolved Oxygen, Coliforms, Un- ionized Ammonia, Nutrients		High	Group 5	2006		

Page 6 3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
CRYSTAL RIVER TO ST. PETE	SPRING BAYOU	27	1440A (1440B)	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	HOLLIN CREEK	30	1475	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	SOUTH BRANCH (South Branch Anclote River)	32	1456	Dissolved Oxygen, Coliforms, Nutrients		High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	ANCLOTE RIVER	35	1440	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Biology looks very good. Drains swamp. Low flows.	Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	PITHLACHASCOTEE RIVER	37	1409	Dissolved Oxygen, Coliforms		Low	Group 5	2011		
CRYSTAL RIVER TO ST. PETE	CRYSTAL RIVER BAY	63	1345A		SWIM waterbody. Listing of this segment is based on biological sampling.	High	Group 5	2006		
CRYSTAL RIVER TO ST. PETE	CRYSTAL RIVER	73	13411	Nutrients	This water was nominated by the SWFWMD. It is a SWIM Waterbody. The SWFWMD has established an interim PLRG holding the line on nutrients.	High	Group 5	2006		
EAST COAST MIDDLE	GOAT CREEK	7	3107	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST MIDDLE	INDIAN RIVER ABOVE SEBASTIAN INLET	8	2963A	Dissolved Oxygen, Silver, Lead, Cadmium, Selenium, Thallium, Nutrients, Mercury (Based on Fish Consumption Advisory)	SWIM water. Low dissolved oxygen probably due to natural variation.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	DRAINED FARMLAND (C1, C69, C10)	10	3090	Dissolved Oxygen, Nutrients, Iron, Lead, Cadmium		Low	Group 5	2011		
EAST COAST MIDDLE	TURKEY CREEK	13	3098	Dissolved Oxygen, Nutrients	SWIM water. Part of Upper St. Johns Project. Army Corp. of Engineers redirecting flow to St. Johns which should improve creek. Also dredging the creek.	High	Group 5	2006	2003	nutrients
EAST COAST MIDDLE	CRANE CREEK	18	3085	Dissolved Oxygen, Coliforms, Nutrients	SWIM water. Grant St. WWTP used to discharge to creek. Now NPS and golf course. Plan to dredge the creek to remove sediments. Ponar samples recently taken indicate a poor biological community.	High	Group 5	2006	2002	nutrients
EAST COAST MIDDLE	CRANE CREEK	19	3085A	Iron, Nutrients	SWIM water. Sediment removal upstream (see above) should help.	High	Group 5	2006	2002	nutrients

3/28/00 Page 7

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
	INDIAN RIVER ABOVE MELBOURNE			Dissolved Oxygen, Nutrients, Mercury						
EAST COAST MIDDLE	CROSSWAY	20	2963B	(Based on Fish Consumption Advisory)	Indian River Lagoon SWIM Project.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	EAU GALLIE RIVER	22	3082	Coliforms, Iron, Nutrients	SWIM water. Industrial area with NPS.	High	Group 5	2006	2002	nutrients
EAST COAST WIDDLE	EAU GALLIE RIVER	22	3062	Comornis, non, Numerits	Swilly water. Illustrial area with NF 3.	nigri	Group 5	2006	2002	numents
EAST COAST MIDDLE	HORSE CREEK	23	3081	Dissolved Oxygen		Low	Group 5	2011		
	INDIAN RIVER ABOVE				Indian River Lagoon SWIM Project. Cocoa STP has increased reuse					
EAST COAST MIDDLE	MELBOURNE	0.5	20620	Nutrients, Mercury (Based on Fish	and now only have wet weather discharge. Recent Biology data is good.	I Carla	0	2000	0000/0044	nutri anta/mantaum
EAST COAST MIDDLE	CROSSWAY	25	2963C	Consumption Advisory)	SJRWMD data analysis indicated a TSI in the fair category.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	BANANA RIVER BELOW MATHERS	26	3057A	Dissolved Oxygen, Nutrients	Part of Indian River Lagoon SWIM project	High	Group 5	2006	2003	nutrients
EAST COAST MIDDLE	NEWFOUND HARBOR	27	3044A	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST MIDDLE	BANANA RIVER ABOVE 520 CROSSWAY	28	3057B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	SWIM water. Analysis of data by SJRWMD indicated a TSI in the fair category.	High	Group 5	2006	2003/2011	nutrients/mercury
EAST COAST MIDDLE	SYKES CREEK/BARGE CANAL	29	3044B	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST MIDDLE	INDIAN RIVER ABOVE 520 CROSSWAY	30	2963D		Indian River Lagoon SWIM Project. Cocoa STP has increased reuse and now only have wet weather discharge. Recent Biology data is good. SJRWMD data analysis indicated a TSI in the fair category.	High	Group 5	2006	2003/2011	nutrients/mercury
	BANANA RIVER ABOVE					, and a	2.554			,
EAST COAST MIDDLE	BARGE CANAL	31	3057C	Dissolved Oxygen		Low	Group 5	2011		
EAST COAST MIDDLE	ADDISON CANAL	32	3028		SWIM water. Really a canal. Receives Titusville South Wetlands Discharge, which has very good quality. Listed for NPS assessment only.	High	Group 5	2006		
LAGI GOAGI WIIDDLE	ADDIOON OANAL	32	3020		ority.	i ligit	Group 5	2000		
EAST COAST MEDICA	INDIAN RIVER ABOVE	60	20025	Disasked Owens			05	2011		
EAST COAST MIDDLE	NASA CROSSWAY	33	2963E	Dissolved Oxygen		Low	Group 5	2011		

Page 8 3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year .	development
EAST COAST MIDDLE	INDIAN RIVER ABOVE M. BREWER	34	2963F	Iron, Lead		Low	Group 5	2011		
LAST COAST WIDDLE	W. DILLVER	34	29031	iioii, Leau		LOW	Group 5	2011		
EAST COAST MIDDLE	MOSQUITO LAGOON	37	2924B	Coliforms		Low	Group 5	2011		
EAST COAST UPPER	SPRUCE CREEK	2	2674	Dissolved Oxygen, Nutrients, Coliforms, Iron	Portions classified as an OFW.	High	Group 5	2006		
EAST COAST UPPER	SPRUCE CREEK	3	2674A	Dissolved Oxygen, Nutrients, Iron		High	Group 5	2006		
EAST COAST UPPER	ROSE BAY	5	2672	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011		
EAST COAST UPPER	UNNAMED DITCH (B-19 Canal)	7	2666	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
EAST COAST UPPER	TOMOKA RIVER	11	2634	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 5	2011		
EAST COAST UPPER	TOMOKA RIVER	13	2634A	Nutrients, Iron, Lead		Low	Group 5	2011		
EAST COAST UPPER	HALIFAX RIVER	17	2363A	Nutrients, Coliforms	TMDL for nutrients already completed.	Low	Group 5	2011		
EAST COAST UPPER	MATANZAS RIVER	21	2363I (& 2363H &	Coliforms, Nutrients		Low	Group 5	2011		
LASI COASI UFFER	IVIA I AINZAO RIVER	21	22000)	Comornia, Nutrienta		Low	Group 5	2011		
EAST COAST UPPER	HALIFAX RIVER	23	2363B	Nutrients, Iron, Lead, Copper	TMDL for nutrients already completed.	Low	Group 5	2011		
EAST COAST UPPER	PELLICER CREEK	25	2580B	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 5	2011		

ge 9 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
										-
EAST COAST UPPER	CRACKER BRANCH (Pellicer Creek)	27	2553	Dissolved Oxygen, Coliforms, Iron		Low	Group 5	2011		
LAGI GOAGI GIT EK	(I chicci Orcek)	21	2000	Dissolved Oxygen, Coliforms,		LOW	Group 3	2011		
				Nutrients, Thallium, Silver, Lead,						
EAST COAST UPPER	PALM COAST	32	2363D	Cadmium, Selenium		Low	Group 5	2011		
EAST COAST UPPER	GUANA RIVER	36	2320	Dissolved Oxygen, Coliforms		Low	Group 5	2011		
ECONFINA- FENHOLLOWAY	ROCKY CREEK	0	3489	Turbidity, Coliforms	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2002		
					, ,					
ECONFINA-	BEVINS (BOGGY)		0000	Dissolved Oxygen, Biochemical	Need to recalculate index as blackwater stream. Coliform probably due	_				
FENHOLLOWAY	CREEK	4	3603	Oxygen Demand, Coliforms	to wildlife.	Low	Group 1	2002		
ECONFINA-										
FENHOLLOWAY	STEINHATCHEE RIVER	8	3573B	Dissolved Oxygen		Low	Group 1	2002		
ECONFINA-	FENHOLLOWAY AT			Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand, Un-ionized Ammonia, Dioxin						
FENHOLLOWAY	MOUTH	13	3473A	(Based on Fish Consumption Advisory) Dissolved Oxygen, Nutrients, Total		High	Group 1	2002	2011	
ECONFINA-	FENHOLLOWAY BELOW			Suspended Solids, Un-ionized Ammonia, Biochemical Oxygen Demand, Mercury (Based on Fish						
FENHOLLOWAY	PULP	14	3473B	Consumption Advisory)		High	Group 1	2002	2011	mercury
ECONFINA- FENHOLLOWAY	FENHOLLOWAY ABOVE PULP	17	3473C	Dissolved Oxygen, Nutrients	Need to recalculate index as blackwater stream. Drainage system highly modified by silviculture.	l liab	Crown 4	2002		
PENITOLLOWAT	FULF	17	34730	Dissolved Oxygen, Numerits	modified by Silviculture.	High	Group 1	2002		
ECONFINA- FENHOLLOWAY	ECONFINA RIVER	18	3402	Dissolved Oxygen, Coliforms, Cadmium	The Department may establish a Site Specific Alternative Criteria for Dissolved Oxygen.	Low	Group 1	2002		
ESCAMBIA RIVER	ESCAMBIA RIVER	0	10F	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Croup 4 9 5	2011		
ESCAINDIA KIVEK	ESCAIVIDIA KIVEK	2	IUF	i i		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	ESCAMBIA RIVER	4	10E	Coliforms, Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
ESCAMBIA RIVER	ESCAMBIA RIVER	6	10D	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		

Page 10 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group		development year	special TMDL development
	Trans. 2 ogem		77272			· · · · · · · · · · · · · · · · · · ·	эхэлр		<i>y</i> 23	
ESCAMBIA RIVER	PINE BARREN CREEK	28	5	Coliforms, Turbidity		Low	Group 4 & 5	2011		
				Comornio, Funcional		2011	Croup ra c	2011		
ESCAMBIA RIVER	LITTLE PINE BARREN CREEK	31	87	Coliforms, Turbidity		Low	Group 4 & 5	2011		
	0.12	0.	<u> </u>	Comornio, Funcional		2011	Croup ra c	2011		
ESCAMBIA RIVER	BRAY MILL CREEK	40	36	Nutrients		Low	Group 4 & 5	2011		
EGO, MIDI, CHIVEIX	DIGIT MILE ONLER	40		Tradione -		LOW	Group 4 a o	2011		
ESCAMBIA RIVER	CANOE CREEK	41	7	Coliforms		Low	Group 4 & 5	2011		
				Coliforms, Total Suspended Solids,			0.00p . 0.0			
ESCAMBIA RIVER	ESCAMBIA RIVER	42	10C	Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
							0.00p . 0.0			
ESCAMBIA RIVER	BIG ESCAMBIA CREEK	43	10	Coliforms, Total Suspended Solids, Turbidity		Low	Group 4 & 5	2011		
	EVERGLADES			Dissolved Oxygen, Iron, Mercury			0.00p . 0.0			
EVERGLADES-WEST COAST	NATIONAL PARK SHARK SLOUGH	1	3289	(Based on Fish Consumption Advisory), Nutrients		Low	Group 1	2007	2011	mercury
	EVERGLADES			777			,		-	,
EVERGLADES-WEST COAST	NATIONAL PARK L-67 CULVERT US41	4	3289J	Dissolved Oxygen, Iron		Low	Group 1	2007		
	EVERGLADES			70 /						
EVERGLADES-WEST COAST	NATIONAL PARK TAYLOR SLOUGH	5	3289K	Dissolved Oxygen, Iron		Low	Group 1	2007		
				Dissolved Oxygen, Mercury (Based on			·			
EVERGLADES-WEST COAST	TAMIAMI CANAL	17	3261B	Fish Consumption Advisory), Cadmium, Copper		Low	Group 1	2007	2011	
EVERGLADES-WEST COAST	NAPLES BAY	20	3259G	Nutrients	Urban/NPS - Is located in downtown Naples. Very little flushing.	Low	Group 1	2007		
				Nutrients, Dissolved Oxygen,						
EVERGLADES-WEST COAST	GORDON RIVER	26	3259C	Biochemical Oxygen Demand, Coliforms	Urban/NPS - Inflows from canals in the area.	Low	Group 1	2007		
EVERGLADES-WEST					This segment was nominated for listing by the district due to fish kills near Immokalee. Has been poor in the past (305b), though not listed in					
COAST	LAKE TRAFFORD	30	3259W	Dissolved Oxygen, Nutrients	1994 305(b). Some restoration planned/ongoing (potential dredging).	Low	Group 1	2007		
EVERGLADES-WEST				Dissolved Oxygen, Coliforms,						
COAST	COCOHATCHEE RIVER	31	3259A	Biochemical Oxygen Demand		Low	Group 1	2007		

e 11 3/28/00

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
								·	,	
EVERGLADES-WEST COAST	IMPERIAL RIVER	35	3258E	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
				7,500						
EVERGLADES-WEST COAST	ESTERO BAY	37	3258A (no WBID)	Nutrients	Upcoming Army Corp. of Engineers project may provide additional data. Site of New University.	Low	Group 1	2007		
EVERGLADES-WEST COAST	HENDRY CREEK	38	3258B	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
EVERGLADES-WEST COAST	ESTERO BAY DRAINAGE	39	3258C		Listing of this water segment is based on the NPS survey.	Low	Group 1	2007		
EVERGLADES-WEST COAST	SPRING CREEK	44	225011	Dissolved Oxygen, Nutrients		Law	Croup 1	2007		
COAST	SPRING CREEK	41	3258H	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
FISHEATING CREEK	HARNEY POND CANAL	2	3204	Dissolved Oxygen, Lead, Nutrients		Low	Group 4	2010		
FISHEATING CREEK	INDIAN PRAIRIE CANAL	3	3206	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005		
FLORDA KEYS	FLORIDA KEYS	0		Nutrients		Low	Group 5	2011		
HILLSBOROUGH RIVER	CHANNELIZED STREAM (Pemberton Creek)	0	1483	Nutrients, Coliforms	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1 & 2	2008		
	,			,						
HILLSBOROUGH RIVER	TWO HOLE BRANCH	0	1489	Nutrients, Turbidity, Biochemical Oxygen Demand, Coliforms	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1 & 2	2008		
HILLSBOROUGH RIVER	SDADKWANI BDANICH	2	1561	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Croup 1 % 2	2003		
HILLSBOROUGH RIVER	SPARRIVAN BRAINCH	2	1001	Solids		nigri	Group 1 & 2	2003		
HILLSBOROUGH RIVER	MILL CREEK	4	1542A	Dissolved Oxygen, Coliforms, Nutrients, Un-ionized Ammonia, Lead	Plant City WWTP surface water discharge removed in 1997.	Low	Group 1 & 2	2008		
				Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption						
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	5	1443A	Advisory)		Low	Group 1 & 2	2008	2011	mercury

3/28/00

HUC Name Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
							·	Í	·
			Nutrients, Mercury (Based on Fish						
HILLSBOROUGH RIVER HILLSBOROUGH RIVER	6	1443E	Consumption Advisory), Coliforms	SWFWMD developed interim load reductions to reservoir.	High	Group 1 & 2	2003	2011	mercury
HILLSBOROUGH RIVER LAKE HUNTER	7	1543	Nutrients		High	Group 1 & 2	2003		
HILLSBOROUGH RIVER BAKER CREEK	10	1522C	Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity	Flows into Lake Thonotosassa. Non-point/Ag.	High	Group 1 & 2	2003		
				·					
HILLSBOROUGH RIVER PEMBERTON CREEK	11	1542	Dissolved Oxygen, Nutrients	Plant City WWTP discharge removed from tributary in 1997.	Low	Group 1 & 2	2008		
THE COUNTY OF THE PROPERTY OF		1042	Disserved Oxygen, Numerics	Train only WWTT disordings removed from disordary in 1997.	LOW	Oloup I & Z	2000		
LIII LODODOLIOLI DIVED I AVE TUONOTOOAOOA	4.0	45000	Dissolved Oxygen, Coliforms, Un-	OWNAMA A LA LA OMEMAND LA LA LEUR DO DA METADO LA CASA				4000	
HILLSBOROUGH RIVER LAKE THONOTOSASSA	16	1522B	ionized Ammonia, Lead Dissolved Oxygen, Coliforms,	SWIM Waterbody. SWFWMD developed PLRG. Draft TMDL in 2/98.	High	Group 1 & 2	2003	1998	nutrients
			Nutrients, Turbidity, Total Suspended						
HILLSBOROUGH RIVER COW HOUSE CREEK	17	1534	Solids	Drains swamp.	High	Group 1 & 2	2003		
			Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity, Biochemical						
HILLSBOROUGH RIVER FLINT CREEK	18	1522A	Oxygen Demand	Drainage from Lake Thonotosassa.	High	Group 1 & 2	2003		
			Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish						
HILLSBOROUGH RIVER HILLSBOROUGH RIVER	19	1443B	Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
I TOUT DADAGE			B: 1 10 N						
HILLSBOROUGH RIVER CREEK	21	1495B	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		High	Group 1 & 2	2003		
HILLSBOROUGH RIVER HILLSBOROUGH RIVER	26	1443D	Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
			Dissolved Oxygen, Coliforms,			3.55p . 5. =			,
HILLSBOROUGH RIVER BLACKWATER CREEK	27	1482	Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 1 & 2	2003		
THEESBOROOGITRIVER BEACKWATER CREEK	21	1402	Oxygen Demand		riigii	Gloup I & 2	2003		
			D						
HILLSBOROUGH RIVER CYPRESS CREEK	29	1402	Dissolved Oxygen, Coliforms, Nutrients	Goes to Hillsborough River. Residential/dairy. Drains swamp.	High	Group 1 & 2	2003		
HILLSBOROUGH RIVER BIG DITCH	30	1469	Coliforms, Nutrients, Turbidity		Low	Group 1 & 2	2008		
HILLSBOROUGH RIVER TROUT CREEK	32	1455	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		

Page 13 3/28/00

								Drainated Vacy of	*Cnesial TMDI	Doromotor for
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
HILLSBOROUGH RIVER	CDVSTAL SDDINGS	36	14624	Dissolved Oxygen, Nutrients		High	Croup 1 9 2	2003		
HILLSBOROUGH RIVER	CRISTAL SPRINGS	30	140ZA	70		nign	Group 1 & 2	2003		
				Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended						
HILLSBOROUGH RIVER	NEW RIVER	38	1442	Solids		High	Group 1 & 2	2003		
	BELCHER CANAL/TAYLOR CREEK	-	2462	Discolved Overson Nutrients	CW/M water CEWMD plane to devalor DLDC by 2004	LU-b	0	2000	2000	n. itrianta
INDIAN RIVER, SOUTH	CANAL/TAYLOR CREEK	5	3163	Dissolved Oxygen, Nutrients	SWIM water. SFWMD plans to develop PLRG by 2001.	High	Group 5	2006	2002	nutrients
				Dissolved Oxygen, Nutrients, Mercury						
INDIAN RIVER, SOUTH	SOUTH INDIAN RIVER	14	5003C		SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002/2011	nutrients/mercury
INDIAN DIVED COUTH	CEDACTIAN DIVED	40	24200	Discolved Overson Iron	SWIM water. SJRWMD plans to develop PLRG for salinity in 1998 and	LU-b	0	2000	2000	n. stri anta
INDIAN RIVER, SOUTH	SEBASTIAN RIVER	16	3129B	Dissolved Oxygen, Iron	PLRG for nutrients in 2001.	High	Group 5	2002	2002	nutrients
				Dissolved Oxygen, Nutrients, Mercury						
INDIAN RIVER, SOUTH	SOUTH INDIAN RIVER	19	5003D		SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002/2011	nutrients/mercury
INDIAN DIVED COUTU	EEL OMEDE OANIAL	0.0	0400	Dissolved Oxygen, Nutrients, Total	OWIM - to OIDWIND - to - to - to - PLDO L - 0004				0000	
INDIAN RIVER, SOUTH	FELSMERE CANAL	20	3136	Suspended Solids	SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002	nutrients
INDIAN RIVER, SOUTH	C-54 CANAL	22	3135	Dissolved Oxygen, Nutrients	SWIM water. SJRWMD plans to develop PLRG by 2001.	High	Group 5	2002	2002	nutrients
	SEBASTIAN RIVER	05	04004	Disabled Owner Nethings	SWIM water. SJRWMD plans to develop PLRG for salinity in 1998 and	1.12.1	0.00	0000	0000	
INDIAN RIVER, SOUTH	ABOVE INDIAN RIVER	25	3129A	Dissolved Oxygen, Nutrients	PLRG for nutrients in 2001.	High	Group 5	2002	2002	nutrients
	NORTH PRONG			Dissolved Oxygen, Copper, Nutrients,	Barefoot Bay WWTF now limited wet weather, but upstream is canals and citrus. SWIM water. SJRWMD plans to develop PLRG for salinity in					
INDIAN RIVER, SOUTH		26	3128	Turbidity, Total Suspended Solids	1998 and PLRG for nutrients in 2001.	High	Group 5	2002	2002	nutrients
IZIOOIMMEE DIVED	KIOOMANAEE DIVIED		2000	Disabled Owners N. Cont.	South Florida Water Management District has completed a PLRG for	1.0.1	0 1	0007		
KISSIMMEE RIVER	KISSIMMEE RIVER	1	3209	Dissolved Oxygen, Nutrients	nutrients.	High	Group 4	2005		
					South Florida Water Management District has completed a PLRG for					
KISSIMMEE RIVER	CHANDLER SLOUGH	7	3188A	Dissolved Oxygen, Nutrients	nutrients.	High	Group 4	2005		
L((00) 11 455 5 " (55	0.055		0.455		Part of Kissimmee River Wetland Restoration Project, PLRG Completed					
KISSIMMEE RIVER	S-65D	14	3188	Dissolved Oxygen, Nutrients	for nutrients.	High	Group 4	2005		
					South Florida Water Management District has completed a PLRG for					
KISSIMMEE RIVER	OAK CREEK	15	3192C	Nutrients, Dissolved Oxygen, Coliforms		High	Group 4	2005		

Page 14 3/28/00

								5	*0 : 1.71.01	5
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
	EIGHTMILE SLOUGH		3186D (&							
KISSIMMEE RIVER	(Ice Cream Slough)	30	3186B)	Dissolved Oxygen		Low	Group 4	2010		
KISSIMMEE RIVER	KISSIMMMEE RIVER	34	3186B	Dissolved Oxygen, Biochemical Oxygen Demand	South Florida Water Management District has completed a PLRG for nutrients.	Lliab	Croup 4	2005		
RISSIIVIIVIEE RIVER	KISSIIVIIVIIVIEE KIVEK	34	31000	Oxygen Demand	numents.	High	Group 4	2005		
					There is a potential we will delist this segment because it will be					
KISSIMMEE RIVER	BLANKET BAY SLOUGH	35	3186C	Dissolved Oxygen, Nutrients	backfilled to restore natural wetland.	Low	Group 4	2010		
				Dissolved Oxygen, Lead, Cadmium,			•			
	LAKE KISSIMMEE			Mercury (Based on Fish Consumption						
KISSIMMEE RIVER	SOUTH	38	3183E	Advisory)	Part of Upper Kissimmee Restoration Plan.	Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	LAKE MARIAN	41	3184	Nutrients		Law	Croup 4	2010		
RISSIIVIIVIEE RIVER	LAKE WAKIAN	41	3104	Numerius		Low	Group 4	2010		
				Mercury (Based on Fish Consumption						
KISSIMMEE RIVER	LAKE KISSIMMEE MID	43	3183B	Advisory)	Part of Upper Kissimmee Restoration Plan.	Low	Group 4		2011	mercury
	LAKE KISSIMMEE			Nutrients, Turbidity, Mercury (Based or						
KISSIMMEE RIVER	NORTH	47	3183A	Fish Consumption Advisory)	Part of Upper Kissimmee Restoration Plan.	Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	KISSIMMEE RIVER	52	3186A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand	Part of Upper Kissimmee Restoration Plan.	Low	Group 4	2010		
KISSIIVIIVIEE KIVEK	KISSIIVIIVIEE KIVEK	52	3100A	Biochemical Oxygen Demand	Part of Opper Rissimmee Restoration Flam.	LOW	Gloup 4	2010		
				Nutrients, Mercury (Based on Fish						
KISSIMMEE RIVER	LAKE CYPRESS	54	3180A	Consumption Advisory)	Some restoration planned.	Low	Group 4	2010	2011	mercury
					Turbidity very high. Could be due to cattle or boat traffic, or possibly					
KISSIMMEE RIVER	DEAD RIVER	55	1472C	Nutrients, Turbidity	sampling error.	High	Group 4	2005		
KISSIMMEE RIVER	CANOE CREEK	56	3181	Turbidity	There is a potential we will delist this segment because it will be backfilled to restore natural wetland.	Low	Group 4	2010		
THE TOTAL PROPERTY OF THE PROP	ON THOSE ONLESS	30	0.101	ransiaty	Datamos to rodoro natural monaria.	LOW	Gloup 4	2010		
KISSIMMEE RIVER	REEDY CREEK	58	3170A	Nutrients, Turbidity		High	Group 4	2005		
				Un-ionized Ammonia, Nutrients,						
	LAKE TOHOPEKALIGA			Mercury (Based on Fish Consumption	All point sources removed, but should stay on list due to NPSs. Will be					
KISSIMMEE RIVER	SOUTH	63	3173C	Advisory)	drawn down.	Low	Group 4	2010	2011	mercury
KISSIMMEE RIVER	HORSESHOE CREEK	64	1436	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005		
THE SHAMEL THE LETT	HOROLOHOL ORLLIN	UŦ	1 700	Biocontoa Oxygon, Comonno, Nathonic		i iigi i	Oloup 7	2000		

e 15 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
1100 Name	vvater beginnent	WAITE	VVBID	Un-ionized Ammonia, Nutrients,	Comments	1 Honey	Огоир	Development	ycai	development
	LAKE TOHOPEKALIGA			Mercury (Based on Fish Consumption						
KISSIMMEE RIVER	NORTH	65	3173A	Advisory)		Low	Group 4	2010	2011	mercury
				Discolated Courses Nutricets Tradition	Disabled Outroop actively level because of average being a COAO					
KISSIMMEE RIVER	REEDY CREEK	66	3170C	Coliforms	Dissolved Oxygen naturally low because of swamps - have a SSAC. High turbidity likely due to construction. Very shallow station.	High	Group 4	2005		
IZIOONANEE DIVED	LAKE OFNITED	70	0474	Disable 10 and National		_		0040		
KISSIMMEE RIVER	LAKE CENTER	70	3174	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
	EAST LAKE			Mercury (Based on Fish Consumption	Overall, very clean lake. Mercury from atmospheric deposition and good water quality. Boggy Creek (tributary to lake) recently modeled by an					
KISSIMMEE RIVER	TOHOPEKALIGA	72	3172	Advisory)	environmental consulting firm.	Low	Group 4		2011	mercury
KISSIMMEE RIVER	BONNET CREEK	73	3170D	Nutrients, Turbidity	NPS from Disney area. Turbidity data questionably high.	High	Group 4	2005		
				Dissolved Oxygen, Coliforms,	The same same same same same same same sam	g	0.000	2000		
				Nutrients, Turbidity, Biochemical						
KISSIMMEE RIVER	SHINGLE CREEK	75	3169A	Oxygen Demand		Low	Group 4	2010		
KISSIMMEE RIVER	LAKE HOLDEN	95	3168H	Nutrients, Un-ionized Ammonia		Low	Group 4	2010		
LAKE OKEECHOBEE	LAKE OKEECHOBEE	2	32121	Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1		1999	nutrients
LAKE OKCEONOBLE	LAKE OKEEOHOBEE		32121	Nutrients	numeria.	riigii	Огоир г		1555	nutrients
					South Florida Water Management District has completed a PLRG for					
LAKE OKEECHOBEE	LAKE OKEECHOBEE	3	3212F	Dissolved Oxygen	nutrients.	High	Group 1	2002		
					South Florida Water Management District has completed a PLRG for					
LAKE OKEECHOBEE	LAKE OKEECHOBEE	4	3212G	Un-ionized Ammonia, Iron, Nutrients	nutrients.	High	Group 1	2002	1999	nutrients
LAKE OKEECHOREE	LAKE OKEECHOREE	_	22420	Discolved Overson	South Florida Water Management District has completed a PLRG for	I II ada	0	2000		
LAKE OKEECHOBEE	LAKE OKEECHOBEE	5	3212C	Dissolved Oxygen	nutrients.	High	Group 1	2002		
				Dissolved Oxygen, Un-ionized	South Florida Water Management District has completed a PLRG for					
LAKE OKEECHOBEE	LAKE OKEECHOBEE	6	3212D	Ammonia, Iron, Nutrients	nutrients.	High	Group 1	2002	1999	nutrients
					0. 4 51 11 W. 1. 10 11 11 11 11 11 11 11 11 11 11 11 11					
LAKE OKEECHOBEE	LAKE OKEECHOBEE	7	3212E	Iron, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002	1999	nutrients
						3.				- 1-
				Dissolved Oxygen, Nutrients,	South Florida Water Management District has completed a PLRG for					
LAKE OKEECHOBEE	LAKE OKEECHOBEE	8	3212A	Chlorides	nutrients.	High	Group 1	2002	1999	nutrients

3/28/00 Page 16

			,				Basin Rotation		*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
LAKE OKEECHOBEE	LAKE OKEECHOBEE	9	3212B	Coliforms, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002	1999	nutrients
LAKE OKEECHOBEE	S-135	10	3213C	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	LETTUCE CREEK	11	3213A	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	MYRTLE SLOUGH	12	3213D	Dissolved Oxygen, Nutrients, Coliforms	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LAKE OKEECHOBEE	S-135 (Henry Creek)	13	3213B	Dissolved Oxygen, Nutrients, Coliforms	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
LITTLE MANATEE RIVER	SOUTH FORK LITTLE MANATEE RIVER	2	1790	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
LITTLE MANATEE RIVER	LITTLE MANATEE RIVER	17	1742A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
MANATEE RIVER	CEDAR CREEK	3	1926	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 1 & 2	2008		
MANATEE RIVER	RATTLESNAKE SLOUGH	4	1923	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
MANATEE RIVER	BRADEN RIVER ABOVE WARD LAKE	5	1914	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 1 & 2	2008		
MANATEE RIVER	GAP CREEK	6	1899	Coliforms		High	Group 1 & 2	2003		
MANATEE RIVER	UNNAMED STREAM (Nonsense Creek)	8	1913	Dissolved Oxygen, Coliforms, Total Suspended Solids		Low	Group 1 & 2	2008		
MANATEE RIVER	WILLIAMS CREEK	13	1901	Coliforms		High	Group 1 & 2	2003		
MANATEE RIVER	MILL CREEK	19	1872	Coliforms		High	Group 1 & 2	2003		

3/28/00

								Projected Year of	*Special TMDL	Parameter for
	W . 0	2 4 4 4 5 15	1,4/0,10			.	Basin Rotation		development	special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
				Dischanical Owner Demand						
MANATEE RIVER	WARES CREEK	21	1848C	Biochemical Oxygen Demand, Coliforms	Bradenton STP going to reuse in future.	High	Group 1 & 2	2003		
					gang to the same t		0.000	2000		
MANATEE RIVER	GILLY CREEK	32	1840	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
		-		70 7						
				Dissolved Oxygen, Coliforms, Turbidity						
MANATEE RIVER	GAMBLE CREEK	35	1819	Nutrients		High	Group 1 & 2	2003		
				Nutrients, Mercury (Based on Fish	Low intensity land use. Rangeland/pasture areas addressed by					
MYAKKA RIVER	MYAKKA RIVER	8	1991C	Consumption Advisory)	conservation plans. Septic systems present.	High	Group 3	2001	2001/2011	nutrients/mercury
MYAKKA RIVER	UNNAMED CREEK (Spting Run)	11	2038	Nutrients	Area made up of native range, citrus, and small urban development. Septic systems present.	High	Group 3		2001	nutrients
	(Opting really		2000		ospino systemio pressonii	ı ııgıı	Oroup o		2001	nutrients Dissolved Oxygen, Nutrients,
				Dissolved Oxygen, Nutrients,						Biochemical
MYAKKA RIVER	DEER PRAIRIE SLOUGH	24	2014	Biochemical Oxygen Demand		Low	Group 3		2001	Oxygen Demand
										Dissolved Oxygen,
MYAKKA RIVER	BIG SLOUGH CANAL	39	1976	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 3		2001	Coliforms, Nutrients
				ger, comments, comments		2011	3 .54p 5		2001	Coliforms,
				Dissolved Oxygen, Coliforms,						Nutrients, Total
MYAKKA RIVER	MYAKKA RIVER	44	1981B	Nutrients, Total Suspended Solids		Low	Group 3		2001	Suspended Solids
				Dissolved Oxygen, Coliforms,						Coliforms,
MYAKKA RIVER	MUD LAKE SLOUGH	46	1958	Nutrients, Turbidity, Total Suspended Solids		High	Group 3		2001	Nutrients, Turbidity, Total Suspended
WITH COUNTY LICE	Med Links decoder	70	1000	Solido		i iigii	Oroup o		2001	Total Caoponaca
1.0/A/4/4 DU/5D			10010							
MYAKKA RIVER	UPPER LAKE MYAKKA	47	1981C		Listing of this segment is based on biological sampling.	Low	Group 3		2001	Dissolved Oxygen,
				Dissolved Oxygen, Coliforms, Turbidity						Coliforms, Turbidity, Nutrients,
MYAKKA RIVER	OWEN CREEK	60	1933	Nutrients, Total Suspended Solids		High	Group 3		2001	Total Suspended
NASSAU RIVER	LITTLE MILL CREEK	0	2157	Turbidity, Coliforms, Nutrients	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 4	2010		
INASSAU RIVER	LITTLE WILL OREEN	U	2137	raibidity, Comornis, Nutrients	מאספאספט ווו נוופ וששט איט(ט) ופאטונ.	Low	Group 4	2010		
				Dissolved Oxygen, Nutrients, Turbidity,	Not clear why nutrients are high. Large fraction of basin is wetlands and					
NASSAU RIVER	NASSAU RIVER	11	2148B	Total Suspended Solids, Coliforms	silviculture.	High	Group 4	2005		
NASSAU RIVER	ALLIGATOR CREEK	12	2153	Dissolved Oxygen, Nutrients	Listed based on very old data. Callahan STP has improved.	High	Group 4	2005		

e 18 3/28/00

								Projected Year of	*Special TMDL	Parameter for
		2 4 4 5 15	1,4/0,10			.	Basin Rotation	TMDL	development	special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
NASSAU RIVER	SOUTH AMELIA RIVER	13	2149	Nutrients		Low	Group 4	2010		
NASSAU RIVER	MILLS CREEK	14	2120A (8.2156)	Nutrients, Coliforms	Silviculture is main land use.	High	Group 4	2005		
NAOSAO RIVER	WILLS ONLER	14	(82130)	Numerits, Comornis	Silviculture is main land use.	riigii	Gloup 4	2003		
				Nutrients, Turbidity, Dissolved Oxygen,	Silviculture is main land use. Very small creek out of a swamp. Few					
NASSAU RIVER	PLUMMER CREEK	16	2130	Coliforms	observations.	High	Group 4	2005		
NEW RIVER	CROOKED RIVER	2	1251	Dissolved Oxygen, Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 2	2008		
		_	.201			2011	0.0up 2	2000		
	WHISKEY GEORGE									
NEW RIVER	CREEK	3	1236	Dissolved Oxygen, Coliforms		Low	Group 2	2008		
				Dissolved Owygon, Moreyny (Paged on						
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	1	1297A	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007	2011	mercury
										į
OCHLOCKONEE RIVER	BLACK CREEK	8	1024	Coliforms		Low	Group 1	2007		
				Dissolved Oxygen, Coliforms,						
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	9	1297B	Nutrients, Turbidity	Problems likely due to impoundment (dam).	Low	Group 1	2007		
				Nutrients, Turbidity, Total Suspended						
OCUI OCKONEE DIVED	MECCININIC ADM DUIN	20	000	Solids, Biochemical Oxygen Demand,		1	0	2007		
OCHLOCKONEE RIVER	MEGGINNIS ARM RUN	33	809	Dissolved Oxygen		Low	Group 1	2007		
	HARBINWOOD			Nutrients, Turbidity, Total Suspended	Urban ditch. Lake Jackson watershed SWIM PLAN plus Skip Livingston's FSU studies. Septic tanks at high density in bad soils.					
OCHLOCKONEE RIVER	ESTATES DRAIN	46	746	Solids, Biochemical Oxygen Demand	Bacteria, TSS, and TP problems in Lake Jackson.	High	Group 1	2002		
OCHLOCKONEE BIVER	OCHLOCKONEE RIVER	49	1297E	Mercury (Based on Fish Consumption Advisory)	GFC - fish consumption advisory. Lake Iamonia WWTP. Lake Jackson stormwater and nutrients. Has SWIM Plan.	Low	Group 1		2011	mercury
STILL ON STILL NIVER	ON LOOKONEE KIVEK	73	1237	, artisory)	Stermater and nations. The Offilm Lan.	LOW	Group I		2011	moroury
				Coliforms, Nutrients, Turbidity, Total						
OCHLOCKONEE RIVER	LITTLE RIVER	51	424	Suspended Solids		Low	Group 1	2007		
OCHLOCKONEE RIVER	JUNIPER CREEK	60	682	Coliforms, Nutrients, Turbidity		Low	Group 1	2007		
				2,,			3 .54p.			
					This segment was nominated for listing by the NW district. Spray Field,					
OCHLOCKONEE RIVER	LAKE IAMONIA	85	442	Nutrients, Coliforms	Urbanization.	High	Group 1	2002		

Page 19 3/28/00

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Commente	Priority	Basin Rotation Group	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	water Segment	IVIAPID	MPID	Parameters of Concern	Comments	Phonity	Group	Development	year	development
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	88	1297F	Coliforms, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	DEP Biologists noted erosion from farming during sampling event. Lake Jackson stormwater and nutrients.	Low	Group 1	2007	2011	mercury
OCHLOCKONEE RIVER	SWAMP CREEK	94	427	Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 1	2007		
	DORA CANAL (Silver		0770	Nutrients, Turbidity, Biochemical	This segment was listed on the 1996 303(d) list; however, it was not					
OKLAWAHA RIVER	River Run)	0	2772	Oxygen Demand	assessed in the 1996 305(b) report.	Low	Group 1	2002		
OKLAWAHA RIVER	EXTENSION DITCH (DORA CANAL)	0	2831A	Nutrients	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2002		
OKLAWAHA RIVER	PALATKALAHA RIVER	12	2839 (& 2839G)	Dissolved Oxygen	Channelized ditch from marsh.	Low	Group 1	2002		
OKLAWAHA RIVER	LAKE APOPKA	19	2835B	Nutrients	PLRG for Lake from SJRWMD.	High	Group 1	2002		
OKLAWAHA RIVER	GOURD NECK SPRING	20	2835C	Nutrients	Part of Lake Apopka. Very high nitrogen.	High	Group 1	2002		
OKLAWAHA RIVER	APOPKA MARSH	22	2856	Dissolved Oxygen, Nutrients, Turbidity, Un-ionized Ammonia	Part of muck farm purchased by SJRWMD and converted to a marsh treatment system to reduce solids and phosphorus levels. Plan to expand the size of the treatment system.	High	Group 1	2002		
OKLAWAHA RIVER	LITTLE LAKE HARRIS	24	2838B	Dissolved Oxygen, Nutrients, Unionized Ammonia	Part of Upper Oklawaha Chain of Lakes SWIM study by WMD. Scheduled for PLRG for nutrients by 2002.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE APOPKA OUTLET	25	2835A	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Un-ionized Ammonia	Beauclair Canal - part of Lake Apopka.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE CARLTON OUTLET	27	2837	Dissolved Oxygen, Nutrients, Unionized Ammonia	May be covered by Lake Apopka. Very poor water quality - nurseries and ag in general.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE BEAUCLAIR OUTLET	28	2834B	Nutrients, Un-ionized Ammonia	SJRWMD plans to develop PLRG for the lake by 2002.	High	Group 1	2003		
OKLAWAHA RIVER	LAKE HARRIS	29	2838A	Nutrients, Lead, Un-ionized Ammonia, Selenium		Low	Group 1	2002		
OKLAWAHA RIVER	BLUE SPRINGS	30	2838C	Dissolved Oxygen, Nutrients, Cadmium		Low	Group 1	2002		

Page 20 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
	J								,	•
	LIOLIDAY CDDINGC	04	20200	Dissolved Overgon Nettiganto	Spring discharging to Lake Harris. SJRWMD plans to develop a PLRG for Lake Harris by 2002.		0	2000		
OKLAWAHA RIVER	HOLIDAY SPRINGS	31	2838D	Dissolved Oxygen, Nutrients	for Lake Harris by 2002.	Low	Group 1	2002		
				Dissolved Oxygen, Nutrients, Turbidity, Un-ionized Ammonia, Total Suspended						
OKLAWAHA RIVER	HELENA RUN	33	2832	Solids		Low	Group 1	2002		
				Nutrients, Lead, Silver, Un-ionized						
OKLAWAHA RIVER	LAKE DORA	34	2831	Ammonia	SWIM water. SJRWMD to develop PLRG by 2002.	High	Group 1	2003		
OKLAWAHA RIVER	LAKE GRIFFIN	38	2814	Nutrients, Un-ionized Ammonia	SWIM water. SJRWMD to develop PLRG by 2002. Emeralda Muck Farms purchased by WMD.	High	Group 1	2003		
OKLAWALIA KIVLIK	EARL ORITH	30	2014	Nutrients, of Floringed Artimornia	Tamis purchased by WWD.	riigii	Group i	2003		
OKLAWAHA RIVER	LAKE EUSTIS	40	2817B	Nutrients, Lead, Un-ionized Ammonia		Low	Group 1	2002		
					Data from 1990 - trailer park STP removed since and water quality much					
OKLAWAHA RIVER	TROUT LAKE OUTLET	42	2819	Nutrients	better, but new biology data still indicates fair.	Low	Group 1	2002		
				Dissolved Oxygen, Coliforms,						
OKLAWAHA RIVER	HAYNES CREEK REACH	43	2817A	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand	This canal between Lake Eustis and Lake Griffin is really part of Lake Griffin. Will be addressed by PLRG for Lake.	Low	Group 1	2002		
	NONCONTRIBUTING	45	2000	Disabled Owner Nethingto Technish	New year of Laba Coffin flavours		0	0000		
OKLAWAHA RIVER	AREA	45	2809	Dissolved Oxygen, Nutrients, Turbidity	Now part of Lake Griffin flow-way.	Low	Group 1	2002		
	IRRIGATED FARM									
OKLAWAHA RIVER	(Knight Farm)	47	2811	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2002		
	LAKE YALE CANAL (Yale-			Dissolved Oxygen, Lead, Un-ionized						
OKLAWAHA RIVER	Griffin Canal)	48	2807	Ammonia		Low	Group 1	2002		
				Nutrients, Turbidity, Biochemical						
OKLAWAHA RIVER	OKLAWAHA RIV ABOVE DAISY	68	2740D	Oxygen Demand, Mercury (Based on Fish Consumption Advisory)	Includes Lake Griffin and Sunny Hill discharge.	Low	Group 1	2002	2011	
			55				J. 54p 1		2011	
01/1 41/4 11/4 51/755	DAIOV ODESI	0.5	0700	Dissolved Oxygen, Nutrients, Turbidity,				00		
OKLAWAHA RIVER	DAISY CREEK	90	2769	Coliforms, Iron	Intermittent stream that drains sod farm.	High	Group 1	2002		
	OKLAWAHA RIVER ABOVE LAKE			Nutrients, Lead, Cadmium, Selenium, Silver, Mercury (Based on Fish	Biology good. High TC and low Dissolved Oxygen may be due to springs. Silver Springs/Silver Run may be getting better due to cattle					
OKLAWAHA RIVER	OKLAWAHA	91	2740C	Consumption Advisory)	removal.	Low	Group 1	2002	2011	mercury
					Biology data was excellent. Upstream farms may be responsible for nutrient surges and will be purchased by the SJRWMD. Part of the					
					Orange Creek Basin Surface Water Management Plan by the SJRWMD.					
OKLAWAHA RIVER	ORANGE CREEK	99	2747	Coliforms, Iron, Nutrients	Iron may be naturally high in this area.	Low	Group 1	2002		

e 21 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
OKLAWAHA RIVER	ORANGE LAKE REACH	103	2749	Dissolved Oxygen, Nutrients, Lead, Un ionized Ammonia		Low	Group 1	2002		
OKLAWAHA RIVER	LAKE OCKLAWAHA	105	2740B	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011		
OKLAWAHA RIVER	OKLAWAHA RIVER ABOVE ST. JOHNS RIVER	109	2740A	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Drains swamp.	Low	Group 1	2002	2011	mercury
OKLAWAHA RIVER	OKLAWAHA RIVER/SUNNYHILL	111	2740F	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms	It is now public land owned and managed by the SJRWMD. Ongoing restoration efforts includes physical restoration of natural river channel.	Low	Group 1	2002		
OKLAWAHA RIVER	CROSS CREEK	112	2754	Dissolved Oxygen, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand	Included in the Orange Creek Basin Surface Water Management Plan by the SJRWMD. Drains Lake Lochloosa - very eutrophic lake for the past 4 years.	High	Group 1	2002		
OKLAWAHA RIVER	LOCHLOOSA LAKE	113	2738	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		High	Group 1	2002		
OKLAWAHA RIVER	WAUBERG (not WALBERG) LAKE OUTLET	115	2741	Nutrients	Recent biology data indicated very eutrophic (chlorophylls in 80s) Canfield said "naturally eutrophic."	High	Group 1	2002		
OKLAWAHA RIVER	ALACHUA SINK	127	2720	Nutrients	Gainesville Mainstreet WWTF has upgraded treatment to reduce nutrient levels.	High	Group 1	2002		
OKLAWAHA RIVER	KANAPAHA LAKE	131	2717	Nutrients	Sampling by SJRWMD in 1994 indicated the lake was macrophyte dominated.	High	Group 1	2002		
OKLAWAHA RIVER	TUMBLING CREEK	133	2718A	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 1	2002		
OKLAWAHA RIVER	NEWNANS LAKE	134	2705	Nutrients, Un-ionized Ammonia	Part of the Orange Creek Basin Surface Water Management Plan by the SJRWMD. SJRWMD purchased 10,000 acres in the north end of the lake. NE District completed biological assessment in fall 1997.	High	Group 1	2002		
OKLAWAHA RIVER	LAKE ALICE	136	2719	Nutrients	Used to be very eutrophic. The University of Florida WWTF upgraded treatment to AWT and eliminated discharge in January, 1995. Remaining contribution is from stormwater.	High	Group 1	2002		
OKLAWAHA RIVER	SWEETWATER BRANCH	137	2711	Dissolved Oxygen, Coliforms, Unionized Ammonia, Nutrients		Low	Group 1	2002		

ge 22 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
1100 Name	water Segment	IVIALID	WBID	i arameters of concern	Comments	1 Hority	Group	Development	yeai	development
OKLAWAHA RIVER	HOGTOWN CREEK	139	2698	Coliforms, Nutrients		Low	Group 1	2002		
OKLAWAHA RIVER	HATCHET CREEK	142	2688	Coliforms, Nutrients, Iron, Chemical Oxygen Demand, Dissolved Oxygen		Low	Group 1	2002		
PEACE RIVER	MVDTI E SI OLICII		2054	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms	Dissolved Oxygen SSAC for upper reach. Ongoing WQ modeling for	1	0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2000		
PEACE RIVER	MYRTLE SLOUGH	1	2054	Collforms	discharge relocation.	Low	Group 3	2008		
PEACE RIVER	PEACE RIVER LOWER ESTUARY	4	2056A	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008	2011	mercury
PEACE RIVER	PEACE RIVER MID ESTUARY	9	2056B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008	2011	mercury
		- C	20002	(Cases on the Containing the transfer of		2011	Croup o	2000	2011	
PEACE RIVER	PRAIRIE CREEK	20	1962	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 3	2008		
PEACE RIVER	HAWTHORNE CREEK	23	1997	Coliforms, Nutrients		Low	Group 3	2008		
				Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand,						
PEACE RIVER	MYRTLE SLOUGH	24	1995	Coliforms		Low	Group 3	2008		
	PEACE RIVER ABOVE			Dissolved Oxygen, Nutrients, Total Suspended Solids, Mercury (Based on						
PEACE RIVER	JOSHUA CREEK	30	1623C	Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
	HORSE CREEK ABOVE			Dissolved Oxygen, Coliforms,						
PEACE RIVER	PEACE RIVER	31	1787A	Nutrients, Biochemical Oxygen Demand		Low	Group 3	2008		
PEACE RIVER	BRANDY BRANCH	34	1939	Nutrients		Lliada	Craup 2	2004		
FEAGE RIVER	BRANDT BRANCIT	34	1939	Nutrierits		High	Group 3	2004		
PEACE RIVER	BEAR BRANCH	35	1948	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
	C WILL OUTFALL AT									
PEACE RIVER	CONV	36	1939A	Dissolved Oxygen, Nutrients		High	Group 3	2004		
PEACE RIVER	LIMESTONE CREEK	37	1921	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		High	Group 3	2004		

Page 23 3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
PEACE RIVER	PEACE RIVER ABOVE CHARLIE CREEK	39	1623D	Coliforms, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	PEACE RIVER ABOVE OAK CREEK	41	1623E	Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	ALLIGATOR BRANCH	44	1871	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004		
PEACE RIVER	THOMPSON BRANCH	50	1844	Coliforms, Nutrients		Low	Group 3	2008		
PEACE RIVER	LITTLE CHARLIE CREEK	54	1774	Coliforms, Nutrients		Low	Group 3	2008		
PEACE RIVER	PAYNE CREEK	55	1757A	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
PEACE RIVER	PAYNE CREEK	56	1757B	Coliforms, Nutrients		Low	Group 3	2008		
PEACE RIVER	PEACE RIVER ABOVE PAYNE CREEK	57	1623H	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	WHIDDEN CREEK	61	1751	Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen	FDEP is working on WQ study.	High	Group 3	2004		
PEACE RIVER	PEACE RIVER ABOVE BOWLEGS CREEKK	66	1623J	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury
PEACE RIVER	PEACE CREEK TRIBUTARY CANAL	68	1613	Dissolved Oxygen, Coliforms, Nutrients, Turbidity	An artificial canal through a swamp. May receive Lake Wales WWTP effluent which is going offline.	High	Group 3	2004		
PEACE RIVER	WEST WALES DRAINAGE CANAL	71	1626	Dissolved Oxygen, Nutrients, Turbidity	Canal through swamp.	High	Group 3	2004		
PEACE RIVER	LAKE EFFIE OUTLET	73	1617	Nutrients	Nominated for SWIM waterbody by SWFWMD.	High	Group 3	2004		

Page 24 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
PEACE RIVER	SADDLE CREEK BELOW LAKE HANCOCK	74	1623K	Dissolved Oxygen, Coliforms, Unionized Ammonia, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2004		
PEACE RIVER	LAKE HANCOCK	79	1623L	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		High	Group 3	2004		
PEACE RIVER	WAHNETA FARMS DRAIN CANAL	81	1580	Dissolved Oxygen, Coliforms, Nutrients, Turbidity		High	Group 3	2004		
PEACE RIVER	BANANA LAKE	83	1549B	Dissolved Oxygen, Un-ionized Ammonia, Fluoride, Nutrients	SWIM Waterbody. SWFWMD developed interim PLRG in 1995. Plan on developing final PLRG in 1998.	High	Group 3	2004		
PEACE RIVER	LAKE ELOISE	85	1521B	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE LULU RUN	87	1521C		Listing of the water was based on the NPS Survey.	High	Group 3	2004		
PEACE RIVER	LAKE LULU OUTLET	89	1521	Dissolved Oxygen, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE SHIPP	91	1521D	Dissolved Oxygen, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	BANANA LAKE CANAL	92	1549A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids	SWIM Waterbody. See comments for Banana Lake.	High	Group 3	2004		
PEACE RIVER	LAKE MAY	93	1521E	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
PEACE RIVER	CRYSTAL LAKE	95	1497A	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		Low	Group 3	2008		
PEACE RIVER	LAKE LENA RUN	96	1501A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2004		
PEACE RIVER	PEACE CREEK DRAIN CANAL	97	1539	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004	2011	mercury

ge 25 3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
PEACE RIVER	LAKE MIRROR	99	1521G	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
TENOL RIVER	Erite Mintroit	33	10210	Turiono	perioriting modeling.	riigii	Отоир 3	2004		
					SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD					
PEACE RIVER	LAKE CANNON	100	1521H	Dissolved Oxygen, Coliforms, Nutrients	performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE BONNY	101	1497E	Nutrients		High	Group 3	2004		
PEACE RIVER	LAKE SMART	102	1488A	Dissolved Oxygen, Un-ionized Ammonia, Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
		102	1.00/1	, and a second	portoning moderning.	i iigii	Oroup o	2001		
PEACE RIVER	SADDLE CREEK	104	1497	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004		
					SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD					
PEACE RIVER	LAKE HOWARD	105	1521F	Nutrients	performing modeling.	High	Group 3	2004		
PEACE RIVER	LAKE JESSIE	108	1521K	Nutrients	SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD performing modeling.	High	Group 3	2004		
							•			
DE 4 OF DIV/FD	LAKE DARKER	400	4.4070	N. delegation		1.2.1	00	0004		
PEACE RIVER	LAKE PARKER	109	1497B	Nutrients		High	Group 3	2004		
PEACE RIVER	LAKE LENA	110	1501	Nutrients		High	Group 3	2004		
					SWIM Waterbody. Part of Winter Haven Chain of Lakes. SWFWMD					
PEACE RIVER	LAKE HAINES	113	1488C	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004		
PEACE RIVER	LAKE ARIANNA	116	1501B	Nutrients		Low	Group 3	2008		
I LAGE RIVER	LAKE AKIANNA	110	13015	Nutrients		LOW	Group 3	2008		
PEACE RIVER	LAKE TENOROC	117	1497C	Dissolved Oxygen		Low	Group 3	2008		
PEACE RIVER	LAKE ALFRED	118	1488D	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
PENSACOLA BAY	BAYOU GARCON	0	987	Dissolved Oxygen, Color	Low Transparency	High	Group 4 & 5	2006		
LINDAGOLA DAT	DATOU GAROON	U	301	Diosoffed Oxygen, Oolor	Low Transparency	ı ilgi i	Group 4 & 3	2000		

ne 26 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
1100 Ivanic	vvator ocyment	WALID	VVDID	Copper, Lead, Biochemical Oxygen	Comments	1 Honly	Огоар	Development	year	development
				Demand, Nutrients, Turbidity, Total	Various studies by USGS, US Minerals Management Services, NOAA,					
PENSACOLA BAY	PENSACOLA BAY	2	548E	Suspended Solids	EPA, Champion International on Escambia Bay and Santa Rosa Sound.	High	Group 4 & 5	2006		
				Coliforms, Dissolved Oxygen,						
PENSACOLA BAY	JONES CREEK	8	846A	Nutrients, Turbidity		Low	Group 4 & 5	2011		
PENSACOLA BAY	BAYOU CHICO	12	846	Coliforms, Dissolved Oxygen, Nutrients		High	Group 4 & 5	2006		
I ENGAGGEA BAT	BATOO OFFICO	12	040	Comornis, Dissolved Oxygen, Nutrients		riigii	Gloup 4 & 3	2000		
PENSACOLA BAY	PENSACOLA BAY	13	548C	Coliforms		High	Group 4 & 5	2006		
				Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids,						
PENSACOLA BAY	JACKSON CREEK	14	846B	Turbidity	Poor water quality due to urbanized nature. Generally low priority.	Low	Group 4 & 5	2011		
PENSACOLA BAY	BAYOU GRANDE	17	740	Coliforms, Dissolved Oxygen		High	Group 4 & 5	2006		
PENSACOLA BAY	EAST RIVER BAY (East River Bay)	18	701	Coliforms, Turbidity		Law	Croup 4 9 F	2011		
FENSACOLA BAT	River bay)	10	701	Colliditis, Turbially		Low	Group 4 & 5	2011		
PENSACOLA BAY	TEXAR BAYOU	21	738	Coliforms	NPS poor.	Low	Group 4 & 5	2011		
					Bayou Chico has sedimentation and water quality problems. Bayou					
				Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids,	Texar the same plus chemical pollution from EPA Superfund site. Bayou Grande OK but future development may affect it. Gulf Breeze peninsular					
PENSACOLA BAY	ESCAMBIA BAY (S)	23	548B	Turbidity	has sprayfield problems.	High	Group 4 & 5	2006		
	DIRECT RUNOFF TO BAY (Escambia Bay,									
	Mulatto Bayou, Indian									
PENSACOLA BAY	Bayou)	26	639		Listing of the water was based on the NPS Survey.	High	Group 4 & 5	2006		
PENSACOLA BAY	CARPENTER CREEK	28	676	Coliforms		Low	Group 4 & 5	2011		
PENSACOLA BAY	TROUT BAYOU	29	694	Coliforms, Dissolved Oxygen		Low	Group 4 & 5	2011		
DENISACOLA BAV	INDIAN BAYOU	32	649	Coliforms Dissolved Ovygon		Low	Group 4 9 F	2011		
PENSACOLA BAY	INDIAN BATOU	32	049	Coliforms, Dissolved Oxygen		Low	Group 4 & 5	2011		

3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
	DIRECT RUNOFF TO									
	BAY (Mulatto Bayou,									
PENSACOLA BAY	Escambia Bay)	33	666		Listing of the water was based on the NPS Survey.	High	Group 4 & 5	2006		
				Dissolved Oxygen, Coliforms,						
PENSACOLA BAY	ESCAMBIA BAY	36	548A	Nutrients, Total Suspended Solids, Turbidity		High	Group 4 & 5	2006		
						g	0.0up . u.o	2000		
PENSACOLA BAY	MULATTO BAYOU	41	539	Coliforms, Dissolved Oxygen, Nutrients		Low	Group 4 & 5	2011		
PENSACOLA BAY	JUDGES BAYOU	43	493	Dissolved Oxygen, Nutrients		Low	Group 4 & 5	2011		
	PACE MILL CREEK			Coliforms, Dissolved Oxygen, Total						
PENSACOLA BAY	(Escambia River)	46	420	Suspended Solids, Turbidity		Low	Group 4 & 5	2011		
	DIRECT RUNOFF TO									
PERDIDO BAY	BAY (Big Lagoon)	4	991	Dissolved Oxygen		Low	Group 4 & 5	2011		
	UNIVERSAL OF SEAL									
PERDIDO BAY	UNNAMED STREAM (Weekly Bayou Creek)	9	935	Dissolved Oxygen		Low	Group 4 & 5	2011		
	(*******) = = , = = = = = = = = = = = = = = = =					2011	0.0up . u 0	2011		
PERDIDO BAY	PERDIDO BAY	12	797	Dissolved Oxygen, Nutrients		Low	Group 4 & 5	2011		
PERDIDO BAY	MARCUS CREEK	14	697	Coliforms		Low	Group 4 & 5	2011		
		· · ·				2011	Croup ra o	2011		
					The is a potential we will delist this segment as it is actually just a					
	DIRECT RUNOFF TO				contributing area to Perdido Bay and will be addressed in the TMDL for					
DEDDIDO DAY	BAY (Tee Lake/Perdido	47	70.4		the bay. Listing of this segment is based on the non-point source		0	0044		
PERDIDO BAY	Bay)	17	784		qualitative assessment.	Low	Group 4 & 5	2011		
	LININIAMED DDANOU									
PERDIDO BAY	UNNAMED BRANCH (Marcus Creek-East Arm)	19	725	Coliforms		Low	Group 4 & 5	2011		
	(2.5ap 1 a 0	2311		
PERDIDO BAY	EIGHTMILE CREEK	21	624	Coliforms, Turbidity		Low	Group 4 & 5	2011		
. 110.00 0,11		21	527	Nutrients, Turbidity, Total Suspended		2011	Oloup T & J	2011		
				Solids, Biochemical Oxygen Demand,						
PERDIDO BAY	ELEVENMILE CREEK	22	489	Dissolved Oxygen, Coliforms, Unionized Ammonia	BioRecon data available (most tributaries were poor).	High	Group 4 & 5	2006		
I ENDIDO DAT	LLL V LINIVIILL OILLIN	22	700	ionizoa / (ininonia	Dioreccon data available (most inbutanes were poor).	riigii	Sloup 4 & 3	2000		

Page 28 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
			462A	Coliforms, Dissolved Oxygen,						
PERDIDO RIVER	PERDIDO RIVER	1	(462B & 462C)	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
-	-	<u>-</u>	,							
	DEDDIDO DIVED		400D	Coliforms, Mercury (Based on Fish			0	0011		
PERDIDO RIVER	PERDIDO RIVER	4	462B	Consumption Advisory)		Low	Group 4 & 5	2011		
				Coliforms, Mercury (Based on Fish						
PERDIDO RIVER	PERDIDO RIVER	9	462C	Consumption Advisory)		Low	Group 4 & 5	2011		
PERDIDO RIVER	JACKS BRANCH	11	291	Coliforms, Dissolved Oxygen, Turbidity		Low	Group 4 & 5	2011		
PERDIDO RIVER	BRUSHY CREEK	36	4	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 4 & 5	2011		
				Dissolved Oxygen, Coliforms,			'			
CANTA EE DIVED	DOCKY CDEEK	6	2044	Nutrients, Biochemical Oxygen		1	0	2007		
SANTA FE RIVER	ROCKY CREEK	6	3641	Demand		Low	Group 1	2007		
SANTA FE RIVER	LAKE ROWELL	27	3598B	Nutrients		Low	Group 1	2007		
SANTA FE RIVER	HAMPTON LAKE	31	3635A	Dissolved Oxygen		Low	Group 1	2007		
SANTA FE RIVER	SANTA FE RIVER	37	3605A	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Several springs have been identified as having elevated nitrate concentrations.	Low	Group 1	2007	2011	mercury
		-							-	,
CANTA EE DIVED	CANTA EE DIVED	20	200ED		Several springs have been identified as having elevated nitrate	1	0	2007		
SANTA FE RIVER	SANTA FE RIVER	38	3605B	Dissolved Oxygen, Nutrients	concentrations.	Low	Group 1	2007		
					Several springs have been identified as having elevated nitrate					
SANTA FE RIVER	SANTA FE RIVER	39	3605C	Dissolved Oxygen, Nutrients	concentrations.	Low	Group 1	2007		
				Dissolved Oxygen, Mercury (Based on						
SANTA FE RIVER	ALTHO DRAINAGE	42	3605F	Fish Consumption Advisory)		Low	Group 1	2007	2011	mercury
					Sampling station relocated upstream to braided stream section. TP					
SANTA FE RIVER	FIVEMILE CREEK	47	3578	Dissolved Oxygen, Coliforms, Nutrients	probably elevated due to geology (Hawthorne outcrop). Is a tributary to New River.	Low	Group 1	2007		
	311			2.2. 2. 7,52. 7, 222, 2.2						
CANTA EE DU ED	IOLIETHOWEE OPPING	40	05407	Discoluted Owners Al (1)	Laboration on Wester Overlike Western and Service of the Association of the Service of the Servi		0 1	0007		
SANTA FE RIVER	ICHETUCKNEE SPRING	49	35192	Dissolved Oxygen, Nutrients	Ichetucknee Water Quality Workgroup is focusing efforts on this basin.	Low	Group 1	2007		

Page 29 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group		development year	special TMDL development
1100 Name	water Segment	IVIAFID	WBID	Farameters of Concern	Comments	Filolity	Gloup	Development	yeai	development
SANTA FE RIVER	NEW RIVER	50	3506	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1	2007		
					Is a SWIM water, but do not have PLRG development schedule. Lake City STP used to discharge to lake, and now stormwater runoff is main					
SANTA FE RIVER	ALLIGATOR LAKE	54	3516	Coliforms, Nutrients	problem. Sinkhole intermittently drains the lake.	Low	Group 1	2007		
SARASOTA BAY	CORAL CREEK EAST BRANCH	4	2078B	Dissolved Oxygen, Nutrients, Lead, Cadmium, Copper, Zinc		Low	Group 3	2008		
				. 11						
CADACOTA DAV	I FMON DAY	4.4	40004	Discolus di Ossano a Nutricuta			00	0000		
SARASOTA BAY	LEMON BAY	14	1983A	Dissolved Oxygen, Nutrients		Low	Group 3	2008		
					Eastern portion in Ag use and addressed by conservation plans.					
SARASOTA BAY	GOTTFRIED CREEK	17	2049	Dissolved Oxygen, Nutrients	Western portion is highly developed urban area.	High	Group 3	2004		
					Eastern portion in Ag use and addressed by conservation plans.					
SARASOTA BAY	FORKED CREEK	18	2039	Nutrients	Western portion is highly developed urban area.	High	Group 3	2004		
SARASOTA BAY	DIRECT RUNOFF TO BAY (Alligator Creek)	19	2042	Nutrients	Eastern portion in Ag use and addressed by conservation plans. Western portion is highly developed urban area.	High	Group 3	2004		
	(rangater even)				The second sugary second sugary second secon		C. Gup G			
0.4.0.0074.0.074	11104TOD ODEF!	0.4		N	Eastern portion in Ag use and addressed by conservation plans.			0004		
SARASOTA BAY	ALLIGATOR CREEK	21	2030	Nutrients	Western portion is highly developed urban area.	High	Group 3	2004		
SARASOTA BAY	CURRY CREEK	27	2009A	Nutrients	Problems appear to be related to urban development.	High	Group 3	2004		
SARASOTA BAY	NORTH CREEK	34	1984A	Nutrients	Urban development	High	Group 3	2004		
SARASOTA BAY	SOUTH CREEK	36	1982A	Nutrients	Urban development	High	Group 3	2004		
							элгир с			
CADACOTA DAV	LITTLE CARACOTA RAV	00	40005	Nistrianto	Ushan davalannan	112.1	00	0004		
SARASOTA BAY	LITTLE SARASOTA BAY	39	1968E	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	CATFISH CREEK	40	1984	Nutrients	Increased development in area.	High	Group 3	2004		
	CLOWERS CREEK									
SARASOTA BAY	(Segment 24.1 CA)	41	1975A	Nutrients, Turbidity, Coliforms		High	Group 3	2004		

e 30 3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
CARAGOTA RAY	ELLIODAW BAY(01)		4075	N						
SARASOTA BAY	ELLIGRAW BAYOU	44	1975	Nutrients, Dissolved Oxygen, Coliforms	Urban development.	High	Group 3	2004		
	CLARK LAKE\UNNAMED									
SARASOTA BAY	DITCH	45	1971	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	ROBERTS BAY	46	1968D	Nutrients	Urban development.	High	Group 3	2004		
SARASOTA BAY	SARASOTA BAY	40	1968C	Nutrients	SWIM water. PLRG completed by SWFWMD	Lliab	Croup 2	2004		
SARASOTA BAT	SARASOTA BAT	49	19000	Nutrients	SWIM Water. PLRG completed by SWFWIMD	High	Group 3	2004		
SARASOTA BAY	PHILIPPE CREEK	52	1947	Nutrients	Urban development.	High	Group 3	2004		
			1947A							
SARASOTA BAY	MAIN A CANAL	53	(1947)	Nutrients, Dissolved Oxygen, Coliforms	Urban development.	High	Group 3	2004		
SARASOTA BAY	HUDSON BAYOU	55	1953	Nutrients	Urban development.	High	Group 3	2004		
OAKAGO TA BAT	HODGON BATOO	55	1333	reditions	organ development.	riigii	Group 3	2004		
	DIRECT RUNOFF TO									
SARASOTA BAY	BAY (Little Sarasota Bay)	56	1951	Nutrients	SWIM water. PLRG completed by SWFWMD	High	Group 3	2004		
	DIRECT RUNOFF TO									
	BAY (Buttonwood									
SARASOTA BAY	Harbor/Sarasota Bay)	57	1916	Dissolved Oxygen	SWIM water. PLRG completed by SWFWMD	High	Group 3	2004		
SARASOTA BAY	PHILIPPI CREEK	58	1937	Dissolved Oxygen, Coliforms, Nutrients	Urban development	Low	Group 3	2008		
						2011	0.0up 0	2000		
SARASOTA BAY	WHITAKER BAYOU	59	1936	Nutrients	Urban development.	High	Group 3	2004		
	DIRECT RUNOFF TO									
CADACOTA DAV	GULF (Whitaker Bayou,	00	4004	Nickelanda	CIMINA	1.2.1	00	0004		
SARASOTA BAY	Big Sarasota Bay)	60	1931	Nutrients	SWIM water.	High	Group 3	2004		
SARASOTA BAY	SARASOTA BAY	61	1968B	Nutrients	SWIM water. PLRG completed by SWFWMD	High	Group 3	2004		
					. ,			-		
SOUTHEAST FLORIDA										
COAST	FLORIDA BAY	0		Nutrients, Chlorides, Dissolved Oxygen	This segment includes Barnes Sound	Low	Group 4	2010		

3/28/00 Page 31

								Drainated Voor of	*Chasial TMDI	Parameter for
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
SOUTHEAST FLORIDA										
COAST	LONG SOUND	1	6005	Dissolved Oxygen		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	C-111	4	3303	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Croup F	2011	2011	moroun/
COAST	0-111	4	3303	PISH Consumption Advisory)		Low	Group 5	2011	2011	mercury
SOUTHEAST FLORIDA										
COAST	C-113	5	3303A	Dissolved Oxygen, Nutrients		Low	Group 5	2011		
				75 7						
SOUTHEAST FLORIDA										
COAST	TRANSECT T3	7	3303C	Dissolved Oxygen		Low	Group 5	2011		
SOUTHEAST FLORIDA					Heavy metals from Homestead Airforce Base. Suggested by DEP-					
COAST	MILITARY CANAL	12	3304	Lead, Cadmium, Copper	Tallahassee	Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	AREA B TAMIAMI CANAL	23	3286B	Dissolved Oxygen, Nutrients		Low	Croup 4	2010		
COAST	AREA D TAIVIIAIVII CANAL		3200D	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA				Dissolved Oxygen, Mercury (Based on						
COAST	WCA3B	25	3278	Fish Consumption Advisory)	Everglades Forever Act will address water quality.	High	Group 5	2006	2011	mercury
					, ,		·			•
SOUTHEAST FLORIDA										
COAST	WCA3B S-333	26	3278A	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA							_			
COAST	WCA3B MIAMI CANAL	27	3278B	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
			3288							
SOUTHEAST FLORIDA COAST	C-6/MIAMI RIVER	28	(3290 & 6001)	Dissolved Oxygen, Coliforms	Canal located in highly urbanized area in Miami.	Low	Group 4	2010		
00/101	O O/WII/ WII TATVETA	20	0001)	Disserved exygen, comernis	Canal located in riighty distanzed area in Mianii.	LOW	Group 4	2010		
SOUTHEAST FLORIDA										
COAST	WAGNER CREEK	29	3288A	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005		
						-	·			
SOUTHEAST FLORIDA										
COAST	C-7/LITTLE RIVER	30	3287	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA	0.0/0.004.]	055-					27:-		
COAST	C-8/BISCAYNE CANAL	31	3285	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
COLITIES OF STORIS	CNAVE ODEEN CANAL			Disabled Owner N. Cont. Mr.						
SOUTHEAST FLORIDA COAST	SNAKE CREEK CANAL WEST	32	3284	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010	2011	mercury
OUNUI	****	32	5204	(Dasca off Fish Consumption Advisory)		LUW	Group 4	2010	2011	mercury

Page 32 3/28/00

								Projected Year of	*Cresial TMDI	Parameter for
							Basin Rotation		*Special TMDL development	special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
SOUTHEAST FLORIDA							_			
COAST	HOLLYWOOD CANAL	34	3282	Nutrients		Low	Group 4	2010		
OOLITHIE A OT EL ODIDA	MOAGA OFNITED			District No.						
SOUTHEAST FLORIDA COAST	WCA3A CENTER SECTOR	35	3268	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011	2011	mercury
	0_0.0		0200	(Sassa sir isin Sansampilari tansaiy)		2011	Sioup o	2011	2011	ereary
SOUTHEAST FLORIDA	WCA3A US27									
COAST	PERIMETER	36	3268A	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA	WCA3A NORTH						_			
COAST	SECTOR	37	3268B	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
COLUTIVE A CT EL COUDA										
SOUTHEAST FLORIDA COAST	SOUTH NEW RIVER CANAL	40	3279	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 4	2010		
00/101	07111712	40	02.0	Disserved exygen, realisms, comonne		LOW	Group 4	2010		
SOUTHEAST FLORIDA	NORTH NEW RIVER									
COAST	CANAL	43	3280C	Dissolved Oxygen, Nutrients, Coliforms		High	Group 4	2005		
SOUTHEAST FLORIDA										
COAST	C-11 EAST	44	3281	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	NORTH NEW RIVER CANAL	46	3277	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
OOAOT	OANAL	70	3211	Dissolved Oxygen, Comornis, Numerica		LOW	Gloup 4	2010		
SOUTHEAST FLORIDA	SOUTH NEW RIVER			Dissolved Oxygen, Coliforms,						
COAST	CANAL	47	3277A	Nutrients,		Low	Group 4	2010		
				Nutrients, Dissolved Oxygen, Total						
SOUTHEAST FLORIDA	EAST HOLLOWAY			Suspended Solids, Biochemical						
COAST	CANAL	48	3277B	Oxygen Demand, Coliforms	Canal located in highly urbanized area in West Fort Lauderdale.	High	Group 4	2005		
OOLITHE ACT ELOSIE:										
SOUTHEAST FLORIDA COAST	C-12	50	3276	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
	J .2	30	3270	2.5551764 Oxygon, Comonio		LOW	Group 4	2010		
SOUTHEAST FLORIDA										
COAST	L-28 GAP	51	3269	Dissolved Oxygen		Low	Group 5	2011		
SOUTHEAST FLORIDA	CONSERVATION AREA									
COAST	2B	53	3272	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	C-13 WEST/MIDDLE RIVER	55	3273	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
00/101	INIVER	აა	3213	Dissolved Oxygen, Comonns, Numerits		LUW	Group 4	2010		

e 33

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
SOUTHEAST FLORIDA										
COAST	POMPANO CANAL	56	3271	Nutrients	Canal located in highly urbanized area .	High	Group 4	2005		
SOUTHEAST FLORIDA COAST	PPOMPANO CANAL/CYPRESS	57	3270	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	L-28 INTERCEPTOR	58	3266	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A EAST SECTOR	59	3265	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A S-10 PERIMETER	60	3265A	Dissolved Oxygen, Coliforms, Unionized Ammonia, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A SOUTHWEST PERIMETER	61	3265B	Dissolved Oxygen, Coliforms, Nutrients, Cadmium	Everglades Forever Act will address water quality.	High	Group 5	2006		
SOUTHEAST FLORIDA COAST	WCA2A L-35B PERIMETER	62	3265C	Dissolved Oxygen, Cadmium, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	WCA2A CENTER SECTOR	64	3265E	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	E-1 CANAL	66	3264A	Dissolved Oxygen, Nutrients, Coliforms	Everglades Forever Act will address water quality.	Low	Group 4	2010		
SOUTHEAST FLORIDA COAST	E-4 CANAL	69	3264D	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA				Dissolved Oxygen, Mercury, Nutrients, Turbidity, Mercury (Based on Fish						
COAST	S-7	70	3263	Consumption Advisory)	Everglades Forever Act will address water quality.	High	Group 5	2006	2011	mercury
SOUTHEAST FLORIDA COAST	HOLEY LANDS	71	3263A	Nutrients		Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	S-8	72	3260	Dissolved Oxygen, Mercury, Nutrients, Mercury (Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	High	Group 5	2006	2011	mercury

ge 34 3/28/00

								Building 174	*O TMDI	D
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
SOUTHEAST FLORIDA										
COAST	L-3	73	3260A	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA COAST	HOLEY LANDS	74	3260B	Nutrients		Low	Group 5	2011		
COAST	HOLET LANDS	74	3200B	Numerits		Low	Group 5	2011		
SOUTHEAST FLORIDA										
COAST	LAKE IDA	76	3262A	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
							·			
SOUTHEAST FLORIDA										
COAST	E-3 CANAL	79	3262D	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
	WCA1 CENTER		0050	Dissolved Oxygen, Nutrients, Mercury						
COAST	SECTOR	80	3252	(Based on Fish Consumption Advisory)	Everglades Forever Act will address water quality.	Low	Group 5	2011		
COLUTIVE A CT EL ODIDA										
SOUTHEAST FLORIDA COAST	KNIGHTS FARM FIELD1	81	3252A	Nutrients	Everglades Forever Act will address water quality.	High	Group 5	2006		
00/101	TAMOTHO TAMANTILLES I	01	OLOLI	Tradition to	27019/addo 1 0/0701 / lot will addition that of quality.	riigii	Croup o	2000		
SOUTHEAST FLORIDA										
COAST	KNIGHTS FARM FIELD3	82	3252B	Nutrients	Everglades Forever Act will address water quality.	High	Group 5	2006		
SOUTHEAST FLORIDA				Dissolved Oxygen, Coliforms,						
COAST	WCA1 NORTH SECTOR	83	3252C	Nutrients, Total Suspended Solids	Everglades Forever Act will address water quality.	High	Group 5	2006		
SOUTHEAST FLORIDA COAST	WCA1 WEST SECTOR	84	3252D	Dissolved Oxygen	Everglades Forever Act will address water quality.	Low	Group 5	2011		
COAST	WOAT WEST SECTOR	04	32320	Dissolved Oxygen	Livergrades i Orever Act will address water quality.	LOW	Group 5	2011		
SOUTHEAST FLORIDA										
COAST	WCA1 SOUTH SECTOR	85	3252E	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA										
COAST	WCA1 EAST SECTOR	86	3252F	Dissolved Oxygen, Nutrients	Everglades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA	HILLSBORO CANAL	00	2054	Dissolved Oxygen, Nutrients, Mercury	Everglades Forever Act will address water quality.	Low	C	2044		
COAST	MILLODUKU CANAL	88	3254	(Dased on Fish Consumption Advisory)	Evergrades Forever Act will address water quality.	Low	Group 5	2011		
SOUTHEAST FLORIDA										
COAST	LAKE OSBORNE	90	3256A	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
				Dissolved Oxygen, Coliforms,			- 2.54	2.12		
SOUTHEAST FLORIDA				Nutrients, Biochemical Oxygen						
	BOYTON CANAL	91	3256B	Demand		Low	Group 4	2010		

ge 35 3/28/00

								5		
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	1 WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
									-	·
SOUTHEAST FLORIDA										
COAST	CANAL E-4	93	3256D	Coliforms, Turbidity, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA	NORTH NEW RIVER			Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Mercury	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. There is a potential this segment will be delisted					
COAST	CANAL	94	3248		because the Everglades Forever Act will address water quality.	High	Group 5	2005	2011	
007.01		01	02.0	(2000 cm; ion concumpation reaction)	additional and a second	i iigii	Group o	2000	2011	
SOUTHEAST FLORIDA				Dissolved Oxygen, Coliforms, Un-						
COAST	HILLSBORO CANAL	95	3248A	ionized Ammonia, Nutrients, Turbidity	Everglades Forever Act will address water quality.	Low	Group 5	2011		
							·			
SOUTHEAST FLORIDA				Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. There is a potential this segment will be delisted					
COAST	S-3	96	3251	Advisory)	because the Everglades Forever Act will address water quality.	High	Group 5	2005	2011	
00/101		30	0201	ravicery	, ,	riigii	Group o	2000	2011	
SOUTHEAST FLORIDA				Dissolved Oxygen, Un-ionized	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients already developed. There is a potential this segment will be delisted					
COAST	SOUTH BAY	97	3253	Ammonia, Nutrients	because the Everglades Act will address water quality.	High	Group 5	2005		
				,		g	3 .54p 5			
SOUTHEAST FLORIDA				Dissolved Oxygen, Un-ionized	There is a potential this segment will be delisted because the Everglades					
COAST	S-236	98	3250	Ammonia, Nutrients	Forever Act will address water quality.	Low	Group 5	2011		
					. ,			-		
SOUTHEAST FLORIDA				Dissolved Oxygen, Coliforms,						
COAST	C-51	99	3245	Nutrients, Iron		Low	Group 4	2010		
SOUTHEAST FLORIDA					There is a potential this segment will be delisted because the Everglades					
COAST	C-21	100	3246	Dissolved Oxygen, Nutrients	Forever Act will address water quality.	Low	Group 5	2011		
				Dissolved Oxygen, Coliforms, Un-	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients					
				ionized Ammonia, Nutrients, Turbidity,	already developed. Biological sampling indicated impairment. There is a					
SOUTHEAST FLORIDA COAST	WEST PALM BEACH CANAL	102	3238	Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)	potential this segment will be delisted because the Everglades Forever	High	Croup F	2005	2011	
COAST	CANAL	102	3230	(Based off Fish Consumption Advisory)	Act will address water quality.	підп	Group 5	2005	2011	
					Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients					
00117116407 51 0515 :					already developed. Biological sampling indicated impairment. There is a					
SOUTHEAST FLORIDA COAST	M CANAL	105	2220	Dissolved Oxygen, Nutrients	potential this segment will be delisted because the Everglades Forever Act will address water quality.	Lliah	Croup F	2005		
00/101	IVI OAIVAL	105	3230E	Dissolved Oxygen, Numents		High	Group 5	2000		
				B:	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients					
SOUTHEAST FLORIDA				Dissolved Oxygen, Un-ionized Ammonia, Nutrients, Turbidity, Total	already developed. Biological sampling indicated impairment. There is a potential this segment will be delisted because the Everglades Forever					
COAST	715 FARMS	106	3247	Suspended Solids	Act will address water quality.	High	Group 5	2005		
55,151		100	OL-TI	- Casponada Conad	addrood frator quality.	. ngu	C.Oup 0	2000		
SOUTHEAST FLORIDA				Dissolved Oxygen, Coliforms,						
COAST	C-17,M CANAL,L-30	107	3242	Biochemical Oxygen Demand		Low	Group 4	2010		
	C . 7 ,111 C/ 11 1/ 12,12 C/C	101	0L7L	2.55omical Oxygon Domana			Croup +	2010		

3/28/00

								5 :	*0 : 1.71.151	5
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
				Dissolved Oxygen, Un-ionized						
SOUTHEAST FLORIDA	EAST DEAGLE	400	0044	Ammonia, Nutrients, Turbidity, Total	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients		0 5	0005		
COAST	EAST BEACH	109	3244	Suspended Solids	already developed. Biological sampling indicated impairment.	High	Group 5	2005		
SOUTHEAST FLORIDA				Dissolved Oxygen, Coliforms, Mercury						
COAST	C-18	110	3234	(Based on Fish Consumption Advisory)		Low	Group 4	2010	2011	
				Dissolved Oxygen, Nutrients, Turbidity,						
SOUTHEAST FLORIDA				Mercury (Based on Fish Consumption	Part of 1996 Lake Okeechobee Interim Action Plan. PLRG for nutrients					
COAST	L-8	111	3233	Advisory)	already developed. Biological sampling indicated impairment.	High	Group 4	2005	2011	
	NODEL IMPOT FORK									
SOUTHEAST FLORIDA COAST	NORTHWEST FORK LOXAHATCHEE	113	3226A	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
			-				0.0up .	20.0		
	SOUTHWEST FORK									
COAST	LOXAHATCHEE	115	3226C	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
	INTERCOASTAL									
SOUTHEAST FLORIDA COAST	WATERWAY ABOVE FLAGLER BRIDGE	117	3226E	Dissolved Oxygen, Coliforms		Low	Group 4	2010		
COAST		117	3220L	Dissolved Oxygen, Collottis		LOW	Gloup 4	2010		
SOUTHEAST FLORIDA	INTERCOASTAL WATERWAY ABOVE									
COAST	POMPANO	118	3226F	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
	INTERCOASTAL									
SOUTHEAST FLORIDA	WATERWAY ABOVE									
COAST	DADE CO.	119	3226G	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
SOUTHEAST FLORIDA										
COAST	LOXAHATCHEE RIVER	123	3232		Listing of this segment is based on the NPS Survey.	Low	Group 4	2010		
				Dissolved Oxygen, Nutrients,						
SOUTHEAST FLORIDA				Biochemical Oxygen Demand,						
COAST	KITCHINGS CREEK	126	3224B	Coliforms		Low	Group 4	2010		
SOUTHEAST FLORIDA										
COAST	ST. LUCIE CANAL	132	3210A	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
				Dissolved Oxygen, Nutrients, Total						
SOUTHEAST FLORIDA				Suspended Solids, Biochemical						
COAST	SOUTH FORK ST. LUCIE	133	3210B	Oxygen Demand, Coliforms		Low	Group 4	2010		
SOLITHEAST ELODIDA										
SOUTHEAST FLORIDA COAST	MANATEE POCKET	135	3208	Dissolved Oxygen, Nutrients		Low	Group 4	2010		
-	0011	1.00		Dissolved Oxygen, Nutrients,						
SOUTHEAST FLORIDA				Biochemical Oxygen Demand,						
COAST	BESSEY CREEK	137	3211	Coliforms		High	Group 4	2005		

e 37 3/28/00

		2	1				Basin Rotation		*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
SOUTHEAST FLORIDA COAST	C-24	140	3197	Dissolved Oxygen, Nutrients	According to SFWMD staff, C-24 will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005		
SOUTHEAST FLORIDA	NORTH ST.LUCIE	141	3194	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)	According to SFWMD staff, this segment will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005	2011	
SOUTHEAST FLORIDA COAST	TENMILE CREEK	142	3194A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms	the mount river Lagour Ownin.	Low	Group 4	2010	2011	
SOUTHEAST FLORIDA COAST	ST. LUCIE	143	3194B	Nutrients	According to SFWMD staff this segment will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005		
SOUTHEAST FLORIDA COAST	C-25 (Cowbone Creek)	146	3189 (3160)	Dissolved Oxygen, Nutrients, Coliforms	According to SFWMD staff this segment will be considered as part of the Indian River Lagoon SWIM.	High	Group 4	2005		
ST ANDREWS BAY	PARKER BAYOU	0	1141	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	PITTS BAYOU	0	1172	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	PRETTY BAYOU	0	1128	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	ROBINSON BAYOU	0	1123	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	WARREN BAYOU	0	1053	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	ST. JOE BAY	1	1267	Coliforms, Nutrients, Iron, Chlorides, Biochemical Oxygen Demand	Citizen requested that this water be listed.	High	Group 3	2004		
ST ANDREWS BAY	DIRECT RUNOFF TO BAY (St. Andrews Bay & East Bay)	7	1170	Nutrients	Military Point. Bay County WQBEL study included 3D model, but didn't include bayous.	Low	Group 3	2008		
ST ANDREWS BAY	MASSALINA BAYOU	9	1144	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	WATSON BAYOU	12	1136	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		

ge 38 3/28/00

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
								·	,	·
ST ANDREWS BAY	JOHNSON BAYOU	13	1131	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	CALLOWAY BAYOU	14	1110	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	BEATTY BAYOU	16	1088	Dissolved Oxygen, Nutrients	Water quality in bayous not good. EPA noted concern.	Low	Group 3	2008		
ST ANDREWS BAY	DEER POINT LAKE	20	553A	Mercury (Based on Fish Consumption Advisory)	SWIM Plan - Municipal Incinerator contributes airborne mercury. Drinking water source.	High	Group 3	2011		
ST JOHNS RIVER LOWER	LITTLE HAW CREEK	7	2630A	Dissolved Oxygen, Coliforms, Iron, Lead, Selenium		High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	HAW CREEK ABOVE CRESCENT LAKE	8	2622A	Nutrients, Iron, Coliforms, Lead, Selenium, Silver, Dissolved Oxygen, Biochemical Oxygen Demand	SWIM water for SJRWMD. Interim PLRG by 1998. Nutrients from row crops in watershed. Bunnell STP, which discharges to lake, has improved.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE DOCTOR LAKE	12	2213G	Iron, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE PINEY POINT	19	2213F	Coliforms, Mercury, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	RICE CREEK UPSTREAM TO MILL	22	2567B	Coliforms, Nutrients, Iron, Lead		Low	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	SIXTEENMILE CREEK	24	2589	Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	MILL BRANCH	25	2592	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand	Part of Tri-County Ag study area. Ag is mainly row crops (potatoes and cabbage).	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	WEST RUN INTERCEPTER D	28	2569	Dissolved Oxygen, Iron, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand	Part of Tri-County Ag study area. Ag is mainly row crops (potatoes and cabbage).	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	DOG BRANCH	34	2578	Dissolved Oxygen, Nutrients, Turbidity, Lead		Low	Group 2 & 3	2008		

Page 39 3/28/00

							Pagin Potation	Projected Year of TMDL	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Development	development year	special TMDL development
ST JOHNS RIVER LOWER	RICE CREEK DOWNSTREAM TO MILL	36	2567A	Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand	There is a potential we will delist based on relocation of Georgia-Pacific, but may be a phased TMDL because Dissolved Oxygen may stay low due (both naturally since a blackwater river and because of accumulated sediments.)	High	Group 2 & 3	2004		
ST JOHNS RIVER LOWER	CRACKER BRANCH	41	2555	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand	SJRWMD plans to develop interim PLRG in 1998. Row Crops.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	DEEP CREEK	51	2549	Dissolved Oxygen, Iron, Lead, Cadmium, Copper, Silver, Nutrients, Biochemical Oxygen Demand	SJRWMD plans to develop interim PLRG in 1998. Row crops and Hastings STP and RO.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	MOCCASIN BRANCH	54	2540	Dissolved Oxygen, Iron, Lead, Silver, Nutrients, Biochemical Oxygen Demand	SJRWMD plans to develop interim PLRG in 1998. Row crops.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	TOCOI CREEK	66	2492	Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE WARREN BRG	67	2213E	Coliforms, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	GREENE CREEK	68	2478	Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	SIXMILE CREEK	72	2411	Dissolved Oxygen, Nutrients, Lead, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	PETERS CREEK	76	2444	Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Coliforms	Elevated coliforms upstream, dairy influences downstream area. Are implementing dairy farm BMPs and has improved greatly but sediments may still be a problem. Landfill present in upper portion.	Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	MILL CREEK	77	2460	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Iron		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	BLACK CREEK SOUTHFORK	85	2415C	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE TROUT RIVER	87	2213D	Coliforms, Nutrients, Turbidity, Total Suspended Solids	SWIM water for SJRWMD. Downtown portion of Jacksonville.	High	Group 2 & 3	2002		
ST JOHNS RIVER LOWER	BLACK CREEK	92	2415B	Dissolved Oxygen, Iron, Lead, Cadmium, Silver		Low	Group 2 & 3	2008		

ge 40 3/28/00

								Drainated Vacy of	*Chariel TMDI	Doromotor for
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
ST JOHNS RIVER	SWIMMING PEN CREEK	04	2410	Nutrients, Lead, Cadmium, Silver, Zinc,		Low	Crown 2 8 2	2000		
LOWER	SWIMING PEN CREEK	94	2410	Total Suspended Solids		Low	Group 2 & 3	2008		
ST JOHNS RIVER				Dissolved Oxygen, Coliforms, Turbidity						
LOWER	GROG BRANCH	96	2407	Iron, Total Suspended Solids		Low	Group 2 & 3	2008		
ST JOHNS RIVER	LITTLE DI AGICADESIC		2000							
LOWER	LITTLE BLACK CREEK	99	2368	Dissolved Oxygen, Coliforms, Iron		Low	Group 2 & 3	2008		
ST JOHNS RIVER				Dissolved Oxygen, Colforms,						
LOWER	DOCTORS LAKE	103	2389	Nutrients, Selenium, Cadmium, Lead, Silver		Low	Group 2 & 3	2008		
							2 2 1 p = 2.0			
ST JOHNS RIVER				Dissolved Oxygen, Selenium,						
LOWER	DURBIN CREEK	106	2365	Nutrients, Coliforms	Part of South Fork of Julington Creek. Drains swamp.	High	Group 2 & 3	2004		
				Dissolved Oxygen, Coliforms,						
ST JOHNS RIVER LOWER	JULINGTON CREEK	115	2351	Nutrients, Turbidity, Total Suspended Solids		Low	Group 2 & 3	2008		
LOWER	JOEINGTON ORLER	113	2001	Contas		LOW	Group 2 & 3	2000		
ST JOHNS RIVER										
LOWER	BIG DAVIS CREEK	116	2356	Dissolved Oxygen, Nutrients, Selenium		Low	Group 2 & 3	2008		
				Nutrients, Turbidity, Total Suspended						
ST JOHNS RIVER	000000000000000000000000000000000000000	400	0000	Solids, Biochemical Oxygen Demand,	Drains urban area of Jacksonville. Nutrient sources include	1.12.1	0	0004		
LOWER	GOODBYS CREEK	138	2326	Coliforns	development and marinas. Downstream portion is tidally influenced.	High	Group 2 & 3	2004		
ST JOHNS RIVER				Dissolved Oxygen, Copper, Nutrients,						
LOWER	FISHING CREEK	145	2324	Turbidity, Total Suspended Solids	Tributary to Ortega River. Very urbanized with septic tanks.	High	Group 2 & 3	2004		
				Coliforms, Copper, Nutrients, Turbidity,						
ST JOHNS RIVER				Total Suspended Solids, Dissolved	Very small tributary to Ortega River. Highly urbanized (K-Mart).					
LOWER	BUTCHER PEN CREEK	151	2322	Oxygen	Residential neighborhood.	High	Group 2 & 3	2004		
OT JOUING DIVED					Data and ideal by least an array Highly who sine daily day to Ortana					
ST JOHNS RIVER LOWER	WILLIAMSON CREEK	158	2316	Dissolved Oxygen, Coliforms	Data provided by local program. Highly urbanized tributary to Ortega River. Some industry.	High	Group 2 & 3	2004		
-				73. 7			отобр и от			
ST JOHNS RIVER	INTERCOASTAL									
LOWER	WATERWAY	165	2205C	Dissolved Oxygen, Coliforms		Low	Group 2 & 3	2008		
ST JOHNS RIVER LOWER	POTTSBURG CREEK	170	2265B	Coliforms, Nutrients, Copper, Turbidity		Low	Group 2 8 2	2008		
LOVVLIX	I OTTOBONG CREEK	170	22000			Low	Group 2 & 3	2000		
ST JOHNS RIVER				Copper, Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen,						
LOWER	WILLS BRANCH	178	2282	Coliforms	May delist because could combine with 181 (part of Cedar River).	High	Group 2 & 3	2004		

3/28/00

							Basin Rotation	Projected Year of *Special develop	
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development year	
ST JOHNS RIVER LOWER	CEDAR RIVER	181	2262	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Lead, Zinc, Coppe	Heavily industrialized (wire mill). Metals in stormwater and sediments are a problem. WQBEL done in 80-83. Residential, septic tank effects.	High	Group 2 & 3	2004	
ST JOHNS RIVER LOWER	MCCOY CREEK	182	2262A (2262)	Lead, Copper, Zinc, Nutrients, Total Suspended Solids	Industrial/residential. Part of proposed stormwater improvement project that will include water quality enhancements.	High	Group 2 & 3	2004	
ST JOHNS RIVER LOWER	ARLINGTON RIVER	184	2265A	Nutrients, Lead, Copper		Low	Group 2 & 3	2008	
ST JOHNS RIVER LOWER	HOGAN CREEK	192	2252	Dissolved Oxygen, Coliforms	Local Program suggested. Possible canidate for delisting because it may be a concrete culvert that empties into a shipyard. Septic tanks.	High	Group 2 & 3	2004	
ST JOHNS RIVER LOWER	STRAWBERRY CREEK	196	2239	Dissolved Oxygen, Coliforms, Nutrients, Copper		Low	Group 2 & 3	2008	
ST JOHNS RIVER LOWER	MONCRIEF CREEK	208	2228	Coliforms, Iron, Copper, Nutrients	Tributary to Trout River. Likely poor water quality due to septic tanks. Proposed stormwater improvement project that includes water quality enhancement.	High	Group 2 & 3	2004	
ST JOHNS RIVER LOWER	RIBAULT RIVER	209	2224	Coliforms, Lead	Siltation and septic tanks. Residential area.	High	Group 2 & 3	2004	
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE INTERCOASTAL WATERWAY ABOVE	211	2213B	Coliforms, Turbidity, Total Suspended Solids	SWIM water for SJRWMD.	High	Group 2 & 3	2002	
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE DAMES POINT	212		Nutrients, Turbidity, Total Suspended Solids	SWIM water for SJRWMD.	High	Group 2 & 3	2002	
ST JOHNS RIVER LOWER	ST. JOHNS RIVER	216		Lead, Copper, Silver, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002	
ST JOHNS RIVER	ST. JOHNS RIVER ABOVE FEDERAL POINT	217	2213L	Lead, Cadmium, Copper, Silver, Nutrients	SWIM water for SJRWMD.	High	Group 2 & 3	2002	
ST JOHNS RIVER LOWER	ORTEGA RIVER	221		Nutrients, Coliforms, Lead, Copper, Total Suspended Solids, Dissolved Oxygen		Low	Group 2 & 3	2008	
ST JOHNS RIVER LOWER	ST. JOHNS RIVER ABOVE MOUTH	224		Fluoride, Total Suspended Solids		Low	Group 2 & 3	2008	
ST JOHNS RIVER LOWER	TROUT RIVER	228	2203	Dissolved Oxygen, Coliforms, Iron		Low	Group 2 & 3	2008	

e 42 3/28/00

						Rasin Rotation	Projected Year of	*Special TMDL	Parameter for special TMDL
Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
TROUT RIVER	229	2203A	Nutrients. Coliforms. Cadmium		Low	Group 2 & 3	2008		
			1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,						
		(2213P &							
CEDAR POINT CREEK	232	2188)	Nutrients, Iron		Low	Group 2 & 3	2008		
LITTLE TROUT RIVER	236	2206	Nutrients, Total Suspended Solids	Light residential.	High	Group 2 & 3	2004		
EODT DDIIW CBEEK	4	3154	Dissolved Oxygen, Coliforms,		Low	Group 2 8 2	2009		
TOKT BROW GREEK	4	3134	Trutterits, Lead		LOW	G10up 2 & 3	2000		
DRAINED FARMLAND	19	3140	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 2 & 3	2008		
				March drainage, part of the Upper St. Johns River restoration area that					
				combines restoration of farmed river floodplain tracts and freshwater					
LAKE HELEN BLAZES	28	2893Q	(Based on Fish Consumption Advisory)	flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
			Dissolved Oxygen Nutrients Iron						
JANE GREEN CREEK	30	3084	Lead		Low	Group 2 & 3	2008		
SAWGRASS LAKE	32	28931	• • • • • • • • • • • • • • • • • • • •		Low	Group 2 & 3	2008	2011	mercury
07.111.01.01.00	02	2000.	- Concern priority tax to stryy		2011	0.00p 2 0.0	2000	2011	oroary
ST. JOHNS RIVER			Dissolved Oxygen, Iron, Lead.	Marsh drainage, part of the Upper St. Johns River restoration area that					
ABOVE LAKE		00000	Nutrients, Turbidity, Mercury (Based on	combines restoration of farmed river floodplain tracts and freshwater			0004		
WASHINGTON	33	2893P	Fish Consumption Advisory)	tiows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002	nutrients
ST IOHNS DIVED			Dissolved Ovygen Nutrients	March drainage, part of the Upper St. Johns River restoration area that					
ABOVE SAWGRASS									
LAKE	34	2893X	(Based on Fish Consumption Advisory)	flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
			Dissolved Oxygen, Coliforms						
CRABGRASS CREEK	35	3073	Nutrients, Iron, Lead		Low	Group 2 & 3	2008		
WOLF CREEK	38	3075	, , ,		Low	Group 2 & 3	2008		
	TROUT RIVER CEDAR POINT CREEK LITTLE TROUT RIVER FORT DRUM CREEK DRAINED FARMLAND LAKE HELEN BLAZES JANE GREEN CREEK SAWGRASS LAKE ST. JOHNS RIVER ABOVE LAKE WASHINGTON ST. JOHNS RIVER ABOVE SAWGRASS LAKE	TROUT RIVER 229 CEDAR POINT CREEK 232 LITTLE TROUT RIVER 236 FORT DRUM CREEK 4 DRAINED FARMLAND 19 LAKE HELEN BLAZES 28 JANE GREEN CREEK 30 SAWGRASS LAKE 32 ST. JOHNS RIVER ABOVE LAKE WASHINGTON 33 ST. JOHNS RIVER ABOVE SAWGRASS LAKE 34 CRABGRASS CREEK 35	TROUT RIVER 229 2203A CEDAR POINT CREEK 232 2188) LITTLE TROUT RIVER 236 2206 FORT DRUM CREEK 4 3154 DRAINED FARMLAND 19 3140 LAKE HELEN BLAZES 28 2893Q JANE GREEN CREEK 30 3084 SAWGRASS LAKE 32 28931 ST. JOHNS RIVER ABOVE LAKE WASHINGTON 33 2893P ST. JOHNS RIVER ABOVE SAWGRASS LAKE 34 2893X CRABGRASS CREEK 35 3073	TROUT RIVER 229 2203A Nutrients, Coliforms, Cadmium 2205B (2213P & 2188) Nutrients, Iron LITTLE TROUT RIVER 236 2206 Nutrients, Total Suspended Solids Dissolved Oxygen, Coliforms, Nutrients, Lead DRAINED FARMLAND 19 3140 Dissolved Oxygen, Nutrients, Turbidity LAKE HELEN BLAZES 28 2893Q Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) Dissolved Oxygen, Nutrients, Iron, Lead Nutrients, Mercury (Based on Fish Consumption Advisory) ST. JOHNS RIVER ABOVE LAKE WASHINGTON 33 2893P Dissolved Oxygen, Iron, Lead, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory) ST. JOHNS RIVER ABOVE SAWGRASS LAKE 34 2893X Dissolved Oxygen, Nutrients, Biochemical Oxygen, Nutrients, Biochemical Oxygen, Coliforms, Nutrients, Iron, Lead Dissolved Oxygen, Nutrients, Iron, Lead Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead Dissolved Oxygen, Nutrients, Iron, Lead Dissolved Oxygen, Nutrients, Iron, Lead Dissolved Oxygen, Nutrients, Iron, Lead	TROUT RIVER 229 2203A Nutrients, Coliforms, Cadmium 2205B (2213P 8 (2213P 8 (2213P 8 2218B) Nutrients, Iron 236 2188) Nutrients, Total Suspended Solids Light residential. Light	TROUT RIVER 229 2203A Nutrients, Coliforms, Cadmium 2205B 2219P &	Water Segment	Water Segment	Water Sugment

Page 43 3/28/00

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE LAKE WINDER	39	2893N		Marsh drainage, part of the Upper St. Johns River restoration area that combines restoration of farmed river floodplain tracts and freshwater flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE LAKE POINSETT	40	2893L	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)	Marsh drainage, part of the Upper St. Johns River restoration area that combines restoration of farmed river floodplain tracts and freshwater flows. PLRGS being developed for phosphorus by the SJRWMD.	High	Group 2 & 3	2004	2002/2011	nutrients/mercury
ST JOHNS RIVER UPPER	LAKE POINSETT	42	2893K	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 2 & 3	2008	2011	mercury
ST JOHNS RIVER UPPER	LONG BRANCH	52	3030	Dissolved Oxygen, Coliforms, Iron, Nutrients, Biochemical Oxygen Demand, Turbidity	Tributary to the Econ. Land owned by the SJRWMD and had been leased for pasture. Cattle are being removed so a TMDL for coliforms should not be necessary. Iron is naturally high in the area.	High	Group 2 & 3	2004	2002	nutrients
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE PUZZLE LAKE	53	28931	Dissolved Oxygen, Coliforms, Lead, Nutrients, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)	Mostly marsh/wetlands. Receives discharge from Iron Bridge treatment wetland and cattle.	Low	Group 2 & 3	2008	2011	mercury
ST JOHNS RIVER UPPER	LITTLE WEKIVA CANAL	58	3004	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LITTLE ECONLOCKHATCHEE	62	3001	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	CRANE STRAND DRAIN	64	3014	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand	Data very old. Highly urbanized and stormwater from golf course.	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	FOX LAKE	67	3008A	Nutrients	Really a marsh (cattails) due to natural succession. Public park along part of the lake.	High	Group 2 & 3	2004		
ST JOHNS RIVER UPPER	ECONLOCKHATCHEE RIVER	79	2991A	Nutrients, Lead, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		Low	Group 2 & 3	2008	2011	mercury
ST JOHNS RIVER UPPER	LOUGHMAN LAKE	81	2978A (2978)	Biochemical Oxygen Demand, Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	SALT LAKE	82	2978B (2978A)	Biochemical Oxygen Demand, Dissolved Oxygen, Nutrients		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	GEE CREEK	87	2994A	Coliforms, Nutrients, Lead	SJRWMD suggested that this water be listed. It drains to Lake Jesup.	Low	Group 2 & 3	2008		

e 44 3/28/00

								But to the tree of	*O TMDI	D
							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
ST JOHNS RIVER										
UPPER	LAKE PREVATT	90	2993	Dissolved Oxygen, Coliforms, Nutrients	Expected good water quality and plan to investigate.	Low	Group 2 & 3	2008		
OT 1011NO DIVED										
ST JOHNS RIVER UPPER	LITTLE WEKIVA RIVER	91	2987	Coliforms, Nutrients		Low	Group 2 & 3	2008		
		0.					0.04p = 4.0			
ST JOHNS RIVER				Dissolved Oxygen, Nutrients,						
UPPER	LAKE HARNEY	93	2964A	Cadmium, Silver		Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	LAKE JECOLID	05	0004	He insigned Assessmin Nicksignes	District conducting a basin study. WMD has active program, but does	1.0.1	0000	0004		
UPPER	LAKE JESSUP	95	2981	Un-ionized Ammonia, Nutrients	not plan to develop PLRG.	High	Group 2 & 3	2004		
ST JOHNS RIVER	LAKE JESSUP NEAR ST.				The Department plans to combine this segment with segment 95 (Lake					
UPPER	JOHNS RIVER	96	2981A	Dissolved Oxygen, Nutrients	Jesup)	High	Group 2 & 3	2004		
ST JOHNS RIVER	SOLDIER CREEK			Dissolved Oxygen, Coliforms,						
UPPER	REACH	97	2986	Nutrients, Lead	SJRWMD suggested that this water be listed. It drains to Lake Jesup.	Low	Group 2 & 3	2008		
ST JOHNS RIVER UPPER	WEKIVA SPRINGS	99	2956C	Nutrients, Coliforms		High	Group 2 & 3	2004		
OT I EIX	WEIGHTON	33	25000		Turning leaving (law Disselved Owens and high nutrients) but also has	riigii	Group 2 & 3	2004		
ST JOHNS RIVER				Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen	Typical spring (low Dissolved Oxygen and high nutrients), but also has high coliforms. May be septic tanks from restaurant and canoe rental, or					
UPPER	ROCK SPRINGS RUN	101	2967	Demand	wildlife or people. Biology was good.	High	Group 2 & 3	2004		
ST JOHNS RIVER	RAVENNA PARK			Dissolved Oxygen, Coliforms,						
UPPER	DITCHES (Smith Canal)	108	2962	Nutrients, Iron, Turbidity		Low	Group 2 & 3	2008		
ST JOHNS RIVER			2893D	Dissolved Oxygen, Nutrients, Lead, Un-						
UPPER	LAKE MONROE	111		ionized Ammonia, Selenium		Low	Group 2 & 3	2008		
ST JOHNS RIVER				Dissolved Oxygen, Nutrients, Iron,						
UPPER	BLACK WATER CREEK	112	2929A	Lead, Cadmium, Selenium, Zinc		Low	Group 2 & 3	2008		
				Dissolved Oxygen, Lead, Nutrients,						
ST JOHNS RIVER UPPER	ST. JOHNS RIVER ABOVE WEKIVA RIVER	113	2893C	Total Suspended Solids, Biochemical Oxygen Demand	SJRWMD does not plan to develop a PLRG for this portion of the river.	Low	Group 2 & 3	2008		
OT LEC	ABOVE WEINVAINVEIN	113	20000	CAYGON DOMAIN	SOLUTION AND ADDRESS OF PROPERTY OF THE PROPERTY OF THE INCH.	LOW	010up 2 & 3	2000		
ST JOHNS RIVER	DEEP CREEK-LAKE									
UPPER	ASHBY CANAL	115	2925	Coliforms, Iron, Lead, Cadmium, Silver		Low	Group 2 & 3	2008		
					Should be good water quality. State park. Note that SJRWMD indicated					
ST JOHNS RIVER	DI LIE ODDINICO	4.5.5	00000	N. C. C.	that some data from a different Blue Springs may have been entered for		0	0.55		
UPPER	BLUE SPRINGS	120	28933	Nutrients	this site.	High	Group 2 & 3	2004		

ge 45 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
1100 Name	Water Orginent	IVII/ (I ID	WBIB	r drameters or concern	Comments	1 Hority	Стоир	Development	your	development
ST JOHNS RIVER	ST. JOHNS RIVER			Dissolved Oxygen, Nutrients, Total	Dissolved Oxygen possibly low because of depth. SJRWMD does not					
UPPER	ABOVE LAKE GEORGE	123	2893Z	Suspended Solids	plan to develop a PLRG for this portion of the river.	Low	Group 2 & 3	2008		
ST JOHNS RIVER										
UPPER	BUCK LAKE	130	2918B	Coliforms		Low	Group 2 & 3	2008		
ST MARKS RIVER	ST. MARKS RIVER	7	793A	Coliforms, Dissolved oxygen	Possible oil contamination of sediments.	High	Group 1	2002		
	LAKE MUNSON (Eight									
ST MARKS RIVER	Mile Pond/Ames Sink)	10	807A	Nutrients		Low	Group 1	2007		
					There is a potential we will delist this segment because planned pollution					
ST MARKS RIVER	LAKE MUNSON	10	9070	Nutrients	control mechanisms (an upstream stormwater management pond) provide reasonable assurance that water quality standards will be met.	Law	Croup 4	2007		
ST WARKS RIVER	LAKE MUNSON	13	807C	Nutrients	provide reasonable assurance that water quality standards will be met.	Low	Group 1	2007		
	MUNSON SLOUGH			Dissolved Oxygen, Coliforms,						
ST MARKS RIVER	(ABOVE LAKE)	15	807D	Nutrients, Turbidity		Low	Group 1	2007		
ST MARKS RIVER	LAKE BRADFORD	19	878A	Dissolved Oxygen		Low	Group 1	2007		
				Nutrients, Turbidity, Total Suspended						
ST MARKS RIVER	EAST DRAINAGE DITCH	23	916	Solids, Biochemical Oxygen Demand, Coliforms	Urban Runoff.	High	Group 1	2002		
				Mutaianta Turkiditu Tatal Cuanandad			•			
	ST AUGUSTINE			Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand,						
ST MARKS RIVER	BRANCH	28	865	Coliforms		High	Group 1	2002		
				Nictricute Toubidity Total Overses ded						
	CENTRAL DRAINAGE			Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand,						
ST MARKS RIVER	DITCH	30	857	Chemical Oxygen Demand, Coliforms		High	Group 1	2002		
					Landfill urban runoff books construction and groundwater					
ST MARKS RIVER	LAKE LAFAYETTE	31	756	Nutrients, Coliforms, Turbidity	Landfill, urban runoff, heavy construction and groundwater contamination.	High	Group 1	2002		
ST MARKS RIVER	GODBY DITCH	36	820	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 1	2002		
O. MARIOTATE	30221 211011	30	520	Jones, Biodiomical Oxygon Bornana		. ngi i	Cioup i	2002		
OT 144 B166 = " /==	DI 4014 0D==			5: 1.10						
ST MARKS RIVER	BLACK CREEK	38	628	Dissolved Oxygen	FDEP sediment study. BioRecon data.	Low	Group 1	2007		

ge 46 3/28/00

							Basin Rotation	Projected Year of TMDL	*Special TMDL development	Parameter for special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
				Mercury (Based on Fish Consumption						
ST MARKS RIVER	LAKE MICCOSUKEE	41	791L	Advisory)		Low	Group 1		2011	mercury
ST MARKS RIVER	WARD CREEK	42	459	Dissolved Oxygen, Coliforms		High	Group 1	2002		
ST MARYS RIVER	ST MARYS RIVER	0	2097F	Biochemical Oxygen Demand	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 4	2010		
OT WIN HETO THIVE IT	OT WHAT OTHER		20071	Dictromical exygen Bernana	accessed in the rece costs) reports	LOW	Отоир ч	2010		
07.14.5\(0.5\(0.5\(0.5\)	OT 144 D) (O D)) (ED		00071	5: 1 : 10 5	This segment was listed on the 1996 303(d) list; however, it was not					
ST MARYS RIVER	ST MARYS RIVER	0	2097J	Biochemical Oxygen Demand	assessed in the 1996 305(b) report.	Low	Group 4	2010		
				Nutrients, Mercury (Based on Fish						
ST MARYS RIVER	ST MARYS RIVER	9	20971	Consumption Advisory)	Cattle and silviculture in area.	Low	Group 4	2010	2011	mercury
	MIDDLE PRONG ST.			Coliforms, Mercury (Based on Fish						
ST MARYS RIVER	MARYS	10	2211	Consumption Advisory)	Water quality good. Actually a reference site.	Low	Group 4	2010	2011	mercury
ST MARYS RIVER	ST. MARYS RIVER NORTH PRONG	11	2097K	Mercury (Based on Fish Consumption Advisory)	Drains swamp area. Blackwater creek.	Low	Group 4	2011		
				**			•			
ST MARYS RIVER	JACKSON CREEK	14	2140A	Nutrients		Low	Group 4	2010		
OT WARTO RIVER	JACKGON GKEEK	14	2140/4	Numerica		LOW	Group 4	2010		
					Data in 305(b) report old. Intensive studies indicate biological					
ST MARYS RIVER	AMELIA RIVER	15	2124	Nutrients	impairment.	High	Group 4	2005		
				Nutrients, Mercury (Based on Fish						
ST MARYS RIVER	ST. MARYS RIVER	16	2097B	Consumption Advisory)	TSS high - could be marsh or pulp and paper mills.	Low	Group 4	2010	2011	mercury
	LITTLE ST. MARYS			Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish						
ST MARYS RIVER	RIVER	17	2106	Consumption Advisory)		Low	Group 4	2010	2011	mercury
	ST. MARYS RIVER									
	ABOVE INTERCOASTAL			Nutrients, Mercury (Based on Fish						
ST MARYS RIVER	WATERWAY	18	2097A	Consumption Advisory)		Low	Group 4	2010	2011	mercury
				Dissolved Oxygen, Nutrients, Total						
ST MARYS RIVER	ST. MARYS RIVER	19	2097C	Suspended Solids, Coliforms		Low	Group 4	2010		

3/28/00 Page 47

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
SUWANNEE RIVER	SUWANNEE RIVER,				This is a SWIM waterbody for the SRWMD. Several springs, previously listed separately, have been identified as having elevated nitrate concentrations (Troy, Royal, Convict, Running, Telford, Owens, and Blue					
LOWER	LOWER	10	3422B		Spring).	Low	Group 1	2002		
SUWANNEE RIVER LOWER	ALLEN MILL POND	14	3525	Dissolved Oxygen, Nutrients		Low	Group 1	2007		
SUWANNEE RIVER UPPER	LAKE JEFFERY OUTLET	2	3499		Listing of this segment is based on biological sampling. District office sampled last fall and will update information for possible delisting.	Low	Group 1	2002		
SUWANNEE RIVER UPPER	FALLING CREEK	3	3477	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1	2002		
SUWANNEE RIVER UPPER	ROARING CREEK	9	3392		Need to recalculate index as blackwater stream. Upper reaches intermittent. PCS (phosphate mine) reclamation area.	Low	Group 1	2002		
SUWANNEE RIVER UPPER	DEEP CREEK	11	3388	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1	2002		
SUWANNEE RIVER UPPER	SUWANNEE RIVER (UPPER)	12	3341	Dissolved Oxygen, Nutrients		Low	Group 1	2002		
SUWANNEE RIVER UPPER	CAMP BRANCH	13	3401	Dissolved Oxygen, Nutrients, Coliforms	Need to recalculate index as blackwater stream. Swamp drainage. PCS may have data.	Low	Group 1	2002		
SUWANNEE RIVER UPPER	SWIFT CREEK	15	3375	Dissolved Oxygen, Nutrients, Total Suspended Solids	Need to recalculate index as blackwater stream. Primary receiving water for PCS (used to be Oxychem). Have been improvements at the facility.	Low	Group 1	2002		
ТАМРА ВАҮ	BLACK POINT CHANNEL	0	1637	Dissolved Oxygen, Nutrients	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1 & 2	2008		
ТАМРА ВАҮ	BISHOPS HARBOR	3	1797B	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 1 & 2	2008	2011	mercury
ТАМРА ВАҮ	COCKROACH BAY	4	1778	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)	Has contaminated sediments. Ongoing restoration effort.	Low	Group 1 & 2	2008	2011	mercury
ТАМРА ВАҮ	BIG BAYOU	6	1709	Dissolved Oxygen, Coliforms, Nutrients	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003		

ge 48 3/28/00

								Projected Year of	*Special TMDL	Parameter for
							Basin Rotation	TMDL	development	special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
TAMPA BAY	BULLFROG CREEK	9	1666A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	TAMPA BAY UPPER	10	1558C	Coliforms, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2003	2011	mercury
TAIWII A DAT	TAINI A BAT OFF ER	10	13300	Consumption Advisory)	Transaction addressed in Fampa Day Tribe.	LOW	Gloup I & 2	2003	2011	mercury
TAMPA BAY	COFFEEPOT BAYOU	12	1700	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	SMACKS BAYOU	16	1683	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
	OLD TAMPA BAY			California Maraumy (Dagad on Figh						
TAMPA BAY	LOWER	17	1558F	Coliforms, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2003	2011	mercury
TAMPA BAY	HILLSBOROUGH BAY LOWER	20	1558D	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2008	2011	mercury
TAIWII A DAT	LOWER	20	1330D	risir consumption Advisory)	Truttents addressed in Fampa Bay TwiDE.	LOW	Gloup I & 2	2008	2011	mercury
TAMPA BAY	SNUG HARBOR	22	1654	Dissolved Oxygen		Low	Group 1 & 2	2008		
	DIRECT RUNOFF TO									
	BAY (From Interbay Peninsula-Old Tampa									
TAMPA BAY	Bay/Hillsborough Bay)	23	1609	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
	DIRECT RUNOFF TO									
TAMPA BAY	BAY (Old Tampa Bay (west))	24	1624	Dissolved Oxygen, Coliforms, Unionized Ammonia, Nutrients	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998	nitrogen
										Ţ.
TAMPA BAY	CROSS CANAL (NORTH)	25	1625	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAIWII A DAT	CROSS CANAL (NORTH)	23	1023	Dissolved Oxygen, Comonns, Numerus		Low	Gloup I & 2	2008		
	HILLSBOROUGH BAY			Dissolved Oxygen, Nutrients, Mercury						
TAMPA BAY	UPPER	26	1558E	(Based on Fish Consumption Advisory)	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998/2011	nitrogen/mercury
				Coliforms, Mercury (Based on Fish						
ТАМРА ВАҮ	OLD TAMPA BAY	27	1558G		Nutrients addressed in Tampa Bay TMDL.	Low	Group 1 & 2	2003	2011	mercury
TAMPA BAY	LONG BRANCH	28	1627	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		

ge 49 3/28/00

								Projected Year of	*Special TMDL	Parameter for
							Basin Rotation	TMDL	development	special TMDL
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Group	Development	year	development
	DIRECT RUNOFF TO				Listing of this water segment is based on the NPS survey. Nutrients					
TAMPA BAY	BAY (Tampa Bay)	29	1630		addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003		
				Dissolved Oxygen, Nutrients, Mercury						
TAMPA BAY	MCKAY BAY	30	1584B	(Based on Fish Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
TAMPA BAY	ALLEN CREEK	33	1604	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
				Dissolved Oxygen, Coliforms, Lead,						
TAMBA BAY	DEL ANEX OBEEK		4005	Nutrients, Turbidity, Biochemical						
TAMPA BAY	DELANEY CREEK	34	1605	Oxygen Demand	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998	nitrogen
				Coliforms, Nutrients, Mercury (Based						
TAMPA BAY	OLD TAMPA BAY	35	1558H		Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998/2011	nitrogen/mercury
TAMBA DAY	DALM DIVED		45005	Bissel a 10 and California National		_		0000		
TAMPA BAY	PALM RIVER	38	1536E	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
				Nutrients, Total Suspended Solids, Biochemical Oxygen Demand,						
TAMPA BAY	YBOR CITY DRAIN	39	1584A	Chemical Oxygen Demand		High	Group 1 & 2	2003		
TAMPA BAY	UCETA YARD DRAIN	40	1599	Nutrients		l limb	Crown 1 8 2	2003		
TAIVIPA DAT		40	1599	Numerius		High	Group 1 & 2	2003		
	DIRECT RUNOFF TO BAY (Sweetwater									
TAMPA BAY	Creek/Old Tampa Bay)	41	1601	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
				Nutrients, Total Suspended Solids,						
TAMPA BAY	DIRECT RUNOFF TO BAY (Old Tampa Bay)	42	1603	Biochemical Oxygen Demand, Chemical Oxygen Demand	Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003	1998	nitrogen
TAWITA DAT	BAT (Old Tallipa Bay)	42	1003	Chemical Oxygen Demand	Inditions addressed in Fampa Day TwiDE.	riigii	Gloup I & 2	2003	1990	milogen
TAMPA BAY	ALLIGATOR CREEK	43	1574	Nutrients, Dissolved Oxygen, Coliforms		Low	Group 1 & 2	2008		
TAMPA BAY	ALLIGATOR LAKE	44	1574A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
		77	.57			2017	Croup r u Z	2300		
				Coliforms, Nutrients, Mercury (Based						
TAMPA BAY	OLD TAMPA BAY	45	1558I	on Fish Consumption Advisory)		High	Group 1 & 2	2003	2011	mercury
	DELLOWO LAKE									
TAMPA BAY	BELLOWS LAKE OUTLET	46	1579	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
	1	10					2.00p 1 W Z		1	

3/28/00

							Danin Datation	Projected Year of		Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
TAMPA BAY	DIRECT RUNOFF TO	47	1502	Discolved Overgon	Nutriente addressed in Tompe Roy TMDI	Lliab	Croup 1 9 0	2002		
TAMPA BAY	BAY (Safety Harbor)	47	1593		Nutrients addressed in Tampa Bay TMDL.	High	Group 1 & 2	2003		
	SIXMILE CREEK (Tampa			Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical						
TAMPA BAY	Bypass Canal)	48	1536B	Oxygen Demand		Low	Group 1 & 2	2008		
			4575							
TAMPA BAY	MULLET CREEK	49	1575 (1546)	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	CHANNEL G	54	1500	Discolved Overson Coliforns Nutriceto		Laur	0	2000		
TAMPA BAY	CHANNEL G	51	1563	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	TAMPA BYPASS CANAL	52	1536C	Dissolved Oxygen, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	BISHOP CREEK	53	1569	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
	DIRECT RUNOFF TO									
TAMPA BAY	BAY (West Possom Branch)	54	1559	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAWFA BAT	Biancii)	54	1339	Dissolved Oxygen, Comornis, Numerus		nigri	Group I & 2	2003		
TAMPA BAY	SWEETWATER CREEK	57	1516	Dissolved Oxygen, Coliforms		Low	Group 1 & 2	2008		
TAMPA BAY	LAKE TARPON CANAL	58	1541A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	ROCKY CREEK	60	1507	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		High	Group 1 & 2	2003		
TAWN ACEAN	NOOKI OKEEK	00	1007	realisme, retai cuoperiusu centus		i iigii	010up 1 u 2	2000		
TAMPA BAY	ROCKY CREEK	61	1507A	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAMPA BAY	MOCCASIN CREEK	62	1530	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
TAMPA BAY	DOUBLE BRANCH	63	1513	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 1 & 2	2008		
	_ 55522 270 01011	30	.510	oxygon, comonno, namonto			0.00p 1 u 2	2300		
TAMPA BAY	LAKE TARPON CANAL	64	1541B	Dissolved Oxygen		Low	Group 1 & 2	2008		

Page 51 3/28/00

								Projected Year of	*Special TMDL	Parameter for
HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	TMDL Development	development year	special TMDL development
1100 Ivaille	vvater oegment	WAID	WBID	r arameters of concern	Comments	1 Honly	Огоар	Development	year	development
TAMPA BAY	BRUSHY CREEK	70	1498	Dissolved Oxygen, Coliforms		Low	Group 1 & 2	2008		
TAMPA BAY	BROOKER CREEK	83	1474	Dissolved Oxygen, Coliforms, Nutrients		High	Group 1 & 2	2003		
TAYLOR CREEK	NUBBIN SLOUGH	2	3203A	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 1	2007	2002	phosphorus
							·			
TAYLOR CREEK	MOSQUITO CREEK	_	3203B	Dissolved Oxygen, Nutrients, Coliforms	South Florida Water Management District has completed a PLRG for	Lliab	Croup 4	2002		
TATLOR CREEK	MOSQUITO CREEK	5	3203B	Dissolved Oxygen, Nutrients, Comorns	nunens.	High	Group 1	2002		
	CHANDLER HAMMOCK				South Florida Water Management District has completed a PLRG for					
TAYLOR CREEK	SLOUGH	6	3199B	Nutrients, Turbidity, Dissolved Oxygen	nutrients.	High	Group 1	2002		
TAYLOR CREEK	TAYLOR CR	7	3205	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2007	2002	phosphorus
TAYLOR CREEK	OTTER CREEK	8	3205D	Dissolved Oxygen, Nutrients	South Florida Water Management District has completed a PLRG for nutrients.	High	Group 1	2002		
							·			
WACCASASSA RIVER	HORSEHOLE CREEK	0	3703	Dissolved Oxygen	This segment was listed on the 1996 303(d) list; however, it was not assessed in the 1996 305(b) report.	Low	Group 1	2007		
WACCASASSA RIVER	HORSEHOLE CREEK	U	3703	Dissolved Oxygen	assessed in the 1996 SUS(b) report.	Low	Group r	2007		
	LITTLE WACCASASSA				This segment was listed on the 1996 303(d) list; however, it was not					
WACCASASSA RIVER	RIVER	0	3747	Dissolved Oxygen	assessed in the 1996 305(b) report.	Low	Group 1	2007		
WITHLACOOCHE										
RIVER SOUTH	LAKE MATTIE OUTLET	2	1476	Nutrients	SW District Suggested.	Low	Group 4	2010		
M/ITH A 0000HF				N. Girata Birata at O						
WITHLACOOCHE RIVER SOUTH	DADE CITY CANAL	8	1399	Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand		High	Group 4	2005		
							·			
WITHLACOOCHE RIVER SOUTH	LITTLE WITHLACOOCHE RIVER	10	1381	Dissolved Oxygen, Coliforms	SW District Suggested.	Low	Group 4	2010		
RIVER SOUTH	WITHLACOUCHE RIVER	10	1301	Dissolved Oxygen, Comonnis	District Suggested.	LOW	Group 4	2010		
WITHLACOOCHE										
RIVER SOUTH	BIG GANT CANAL	14	1378	Dissolved Oxygen, Coliforms	SW District Suggested.	Low	Group 4	2010		
WITHLACOOCHE										
RIVER SOUTH	LAKE LINDSEY	16	1329H	Dissolved Oxygen, Coliforms		Low	Group 4	2010		

Page 52 3/28/00

HUC Name	Water Segment	² MAPID	¹ WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development	*Special TMDL development year	Parameter for special TMDL development
WITHLACOOCHE RIVER SOUTH	LESLIE-HEFNER CANAL	26	1357	Dissolved Oxygen	Naturally low Dissolved Oxygen. Located in swamp area.	High	Group 4	2005		
WITHLACOOCHE RIVER SOUTH	LAKE ROUSSEAU	41	1329B	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010		
WITHLACOOCHE RIVER SOUTH	RAINBOW RIVER	47	1320A	Nutrients	SWFWMD Suggested. SWIM Waterbody. Interim PLRG developed.	High	Group 4	2005		
WITHLACOOCHEE RIVER NORTH	JUMPING GULLY CREEK	0	3318	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2007		
WITHLACOOCHEE RIVER NORTH	WITHLACOOCHEE RIVER	2	3315	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007	2011	mercury
YELLOW RIVER	YELLOW RIVER	1	30A	Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory).		Low	Group 4 & 5	2011		
YELLOW RIVER	LITTLE CREEK	13	144	Coliforms		Low	Group 4 & 5	2011		
YELLOW RIVER	TURKEY CREEK	14	117	Coliforms, Turbidity		Low	Group 4 & 5	2011		
YELLOW RIVER	MURDER CREEK	16	107	Dissolved Oxygen, Coliforms		Low	Group 4 & 5	2011		
YELLOW RIVER	YELLOW RIVER	21	30	Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4 & 5	2011		
*A special TMDL devel	opment year is the year for wh	ich a TMDL	will be crea	ated for a specific parameter (not all para	ameters) ahead of the scheduled TMDL year. For example, a coliform TM	MDL will be	created for the B	lackwater River.		
4 WBID is the unigue io	entifier for each water. 2 M	1APID is use	ed to locate	the waters on a map.						

Page 53 3/28/00